ABS07AIG

Request Samples (>)



Check Inventory



3.2 x 1.5 x 0.9 mm RoHS/RoHS II Compliant MSL Level = N/A

Features

- AEC-Q200 Qualified
- Automotive Grade 1: -40°C to +125°C
- TS16949 Production Line Certified
- PPAP Available Upon Request
- Hermetically Seam-sealed Ceramic Package
- RoHS/RoHS II Compliant and Pb free

Applications

- Infotainment Systems
- Keyless Entry & Startup
- **GPS & Navigation**
- Comfort control
- ADAS (Advanced Driver Assistance Systems)
- Vehicle to Vehicle Communication
- LiDAR (Light Detection and Ranging)
- In-vehicle Networking
- Powertrain & Drive Control
- Power Control & Conversion

Key Electrical Specifications

Parameters	Min.	Typ.	Max.	Units	Notes
Frequency	32.768		kHz		
Operation Mode	Flexu	ral Mode (Tunin	g Fork)		
Operating Temperature	-40		+125	°C	Option "blank"; See options
Storage Temperature	-55		+125	°C	
Frequency Tolerance @	-10		+10	nnm	Option "1"; See options
+25°C	-20		+20	ppm	Option "blank"; See options
Temperature Coefficient	-0.040	-0.036		ppm/T ²	
Turn-over Temperature	+20	+25	+30	°C	
Equivalent series resistance (ESR)			60		Over -40°C to +85°C
			70	kΩ	Over -40°C to +105°C
resistance (ESK)			80		Over -40°C to +125°C
Shunt capacitance (C0)		<1.4		pF	
Motional capacitance (C1)		4.7		fF	
Load capacitance (CL)		12.5		pF	Option "blank"; See options
Drive Level		0.1	0.5	μW	
Q value	10000	30000			
Aging	-3		+3	ppm	@25°C±3°C First year
Insulation Resistance	500			ΜΩ	@ 100 Vdc



ABS07AIG

Request Samples (>)




Check Inventory



3.2 x 1.5 x 0.9 mm **RoHS/RoHS II Compliant** MSL Level = N/A

Options and Part Identification (left blank if standard)





ABS07AIG

Request Samples (>)




Check Inventory




3.2 x 1.5 x 0.9 mm RoHS/RoHS II Compliant MSL Level = N/A

Mechanical Dimensions



Recommended Land Pattern



Dimensions: mm

Sealing Method = Seam Sealing



REVISED: 06-07-22

ABS07AIG

Request Samples (>)



Check Inventory



3.2 x 1.5 x 0.9 mm RoHS/RoHS II Compliant

MSL Level = N/A

Reflow Profile [JEDEC J-STD-020]




Table 1

SnPb Eutectic Process Classification Temperatures (Tc)						
Package Thickness	Volume mm³ <350	Volume mm³ ≥350				
<2.5 mm	235 °C	220 °C				
>2 5 mm	220°C	220 °C				

Table 2

Pb-Free Process Classification Temperatures (T _c)							
Package Thickness	Volume mm³ <350	Volume mm ³ 350-2000	Volume mm³ >2000				
<1.6 mm	260 °C	260 °C	260 °C				
1.6 mm - 2.5 mm	260 °C	250 °C	245 °C				
>2.5 mm	250 °C	245 °C	245 °C				

Profile Feature	Sn-Pb Eutectic Assembly	Pb-Free Assembly
Preheat / soak		
Temperature minimum (T _{smin})	100°C	150°C
Temperature maximum (T _{smax})	150°C	200°C
Time (T _{smin} to T _{smax}) (t _s)	60 - 120 sec.	60 - 120 sec.
Average ramp-up rate (T _{smax} to T _P)	3°C/sec. max	3°C/sec. max
Liquidous temperature (T _L)	183°C	217°C
Time at liquidous (t _L)	60 - 150 sec.	60 - 150 sec.
Peak package body temperature (T _P)*	see Table 1	see Table 2
Time (t _p)** within 5°C of the specified classification temperature (T _C)	20 sec.	30 sec.
Ramp-down rate (T _p to T _{smax})	6°C/sec. max	6°C/sec. max
Time 25°C to peak temperature	6 min. max	8 min. max
Reflow cycles	2 max	2 max

^{*}Tolerance for peak profile temperature (T_{p}) is defined as a supplier minimum and a user maximum.



^{**}Tolerance for time at peak profile temperature (t_p) is defined as supplier minimum and a user maximum.

ABS07AIG

Request Samples (>)



Check Inventory




3.2 x 1.5 x 0.9 mm RoHS/RoHS II Compliant MSL Level = N/A


Packaging

T=Tape and reel (3,000pcs/reel) T9=Tape and reel (9,000pcs/reel)

FEEDING (PULL) DIRECTION -

 $\emptyset 21.0 \pm 1$





120

Dimensions: mm



ABS07AIG

Request Samples (>)





Check Inventory




3.2 x 1.5 x 0.9 mm
RoHS/RoHS II Compliant
MSL Level = N/A

Reel=9,000pcs







Dimensions: mm

ATTENTION: Abracon LLC's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependent Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon LLC is required. Please contact Abracon LLC for more information

