



# **SPECIFICATION**

Crystal Unit

NX2016SA

Receipt

#### Customer: QZ TORCH

Item:

Туре:

Nominal Frequency: 25.000 MHz

Customer's Spec. No.:

NDK Spec. No.: STD-CZS-2

	Revision Record							
Rev.	Date	Items	Contents	Approved	Checked	Drawn		
	28.Mar.2018	Issue		M.Sato		R.Omomo		

1. Customer's Spec. No.

#### 2. NDK Spec. No. : STD-CZS-2

3. Туре

: NX2016SA

:

#### 4. Electrical Specifications

	Parameters	SYM.	E	Electrica	al Spec	¢.	Notes
	Farameters	51101.	min	typ	max	Units	NOLES
1	Nominal frequency	f <sub>nom</sub>	25.000		MHz		
2	Overtone order	-	Fu	ndamer	ntal	-	
3	Frequency tolerance	-	-15	-	+15	×10 <sup>-6</sup>	at +25°C
4	Frequency versus temperature characteristics	-	-25	-	+25	×10 <sup>-6</sup>	at -40~+85°C The reference temperature shall be +25°C
5	Equivalent resistance	-	-	-	80	Ω	IEC PI-network/Series
6	Load capacitance	CL	-	8	-	pF	IEC PI-network
7	Level of drive	-	-	10	200	μW	
8	Operating temperature range	T <sub>opr</sub>	-40	-	+85	°C	
9	Storage temperature range	T <sub>str</sub>	-40	-	+85	°C	
10	Insulation resistance	-	500	-	-	MΩ	When terminal to terminal and terminal to cover were applied at DC100V ±15V.
11	Air-tightness	-	-	-	1.1×10 <sup>-9</sup>	Pa m³/s	Helium leak detector

#### 5. Examination results document

Since a performance is guaranteed, an examination results document does not submit.

## 6. Application drawing

6.1 External dimension	: EXD14B-00467
6.2 Taping and reel figure	: EXK17B-00200
6.3 Reel Packing	: EEK17B-00015
6.4 Holder marking	: EXH11B-00317
6.5 Reliability assurance Item	: EXS30B-00249

#### 7. Notice


- 7.1 Crystal units will be damaged by ultrasonic welding process due to resonance of crystal wafer itself. NDK does not recommend using ultrasonic welding. If Ultra Sonic welding used, there are products that resonance phenomenon hardly occurs so please confirm with our sales.
- 7.2 Order items are manufactured according to specification. As to conditions, which are not indicated in this specification and unpredictable such as applied condition and oscillation margin, please check them beforehand.
- 7.3 Unless we receive request for modification within 3 weeks from the issue date of this NDK specification sheet, we will supply products according to this specification. Also, if you'd like to modify specification of order, which has been placed with delivery request within 3 weeks from the issue data of this specification sheet, we would like to discuss with you separately.
- 7.4 In no event shall the company be liable for any product failure resulting from an inappropriate handling or operation of the product beyond the scope of its guarantee.
- 7.5 Where any change to the process condition is made due to the change(s) in the production line, inform personnel of the specifications.
- 7.6 Should this specification data give rise to any disputes relating to any intellectual property rights or any other rights of a third person, the company shall not indemnify anyone for any damage. Their disclosure must not be construed as the grant of a license to use any of the intellectual property rights owned by the company.
- 7.7 If you intend to use products listed on this specification for applications that may result in loss of life or assets (controls relating to safety, medical equipment, aeronautical equipment, space equipment, etc.), please do not fail to advise us of your intention beforehand.
- 7.8 In the company's production process whatever amount of ozone depleting substances (ODS) as specified in the Montreal protocol is not used.
- 7.9 Information contained in this specification must not be quoted, reproduced or used for other purposes including processing either in part or in full without obtaining prior approval from the company.
- 7.10 The appearance color and so on have a different case by purchasing it more than 2 suppliers of the component, but characteristic and reliability are guaranteed.
- 7.11 In case of the product long time keep at high temperature and humidity, may affect product characteristic (solder ability) and a packing condition.

Please keep at storage condition of temperature +5°C ~+35°C, humidity ~85%RH.

#### 8. Prohibited items

Be sure to use the product under the following conditions. Otherwise, the characteristics deterioration or destruction of the product may result.

- (1) Reflow soldering heat resistance
  Peak temperature: 265°C, 10 sec
  Heating: 230°C or higher, 40 sec
  Preheating: 150°C to 180°C, 120 sec
  Reflow passage times: twice
- (2) Manual soldering heat resistance Pressing a soldering iron of 400°C on the terminal electrode for four seconds (twice).




- #1,#3 : XTAL
- #2,#4 : GND(CONNECTION WITH COVER)

Da	te of Revise	Charge	Approved	Reaso	n				
B 22	2.Apr.2016	N.Wakisaka	H.Kobayashi Revise index to reference value						
	Date	Name	Third Angle Projection To		Tolerance	Scale			
Drawn	19.Oct.2009	M.Harada	Dimension:m	ension:mm		/			
Designed	19.Oct.2009	M.Harada	Title		Drawing No.		Rev.		
Checked			NX201	6SA	EXD14B-	00467			
Approved	20.Oct.2009	K.Ueki	Dimension Drawing			00407	В		


1.35

NIHON DEMPA KOGYO CO., LTD.




	Dat	te of Revise	Charge	Approved Reason							
В	3 Oct.	2016 H. Ohkubo		H. Murakoshi	H. Murakoshi Addition of roll method and seal			ling method.			
		Date	Name	Third Angle Projection		Tolerance	Tolerance		Tolerance So		ale
Drav	wn	12.Apr.2005	K.Oguri	Dimension:mm					/		
Des	signed	12.Apr.2005	K.Oguri	Title		Drawing	No.		Rev.		
Che	ecked			NX2016	Series	EVI	EXK17B-00200				
Арр	oroved	12.Apr.2005	K. Miyashita	Taping and Reel Spec.		ec.		-00200	В		
	NIHON DEMPA KOGYO CO., LTD.										

Form M-1



	Dat	e of Revise	Charge	Approved Reason					
С	4	Jul. 2012	H.Ohkubo	K.Oguri Addition of condition when reels are 1			to 4.		
		Date	Name	Third Angle Projection		Т	olerance	Sc	ale
Drav	wn	26 Feb. 2010	H. Ohkubo	Dimension:mm					
Des	signed	26 Feb. 2010	K.Oguri	Title			Drawing No.		Rev.
Che	ecked	26 Feb. 2010	K.Oguri	100 dia Daa	l naoko		EEK17B-	00015	<u> </u>
Арр	oroved	26 Feb. 2010	J. Nakamura	180 dia. Reel package		iye		-00015	С

NIHON DEMPA KOGYO CO., LTD.



## NOTE

## 1. Frequency Code

Marking Frequency is consist of five digits, first five digits of Nominal Frequency

Example

Nominal Frequency	28.636363 MHz
Frequency Code	28.636

## 2. Month Code Table

Month	1	2	3	4	5	6	7	8	9	10	11	12
	Jan.	Feb.	Mar.	Apr.	May.	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.
Month Code	1	2	3	4	5	6	7	8	9	Х	Y	Z

\*Marking digits are not include a decimal point and dot mark.

Drawn Designed	16.Jan.2006 16.Jan.2006	I.Miyahara I.Miyahara	Dimension:m Title		Drawing No.		/ Rev.
Checked Approved	16.Jan.2006 16.Jan.2006	 K.Okamoto	Crystal Holder Marking		EXH11B-	00317	D

## NIHON DEMPA KOGYO CO., LTD.

			(page: 1/1)
No.	Test Item	Test Methods	Specification Code
1	High Temperature Storage *1	+85±3°C 720h	А
2	Low Temperature Storage	-40±3°C 500h	А
3	Temperature Humidity	+60±3°C 90~95%RH 500h	А
4	Temperature Cycling *1	-40±3°C / +85±3°C It is 500 cycles using 30 minutes each as 1 cycle.	А
5	Vibration	Frequency Range : 10~55Hz Amplitude : 1.52mm 1 cycle : 1 minutes Test time : Three mutually perpendicular axes each 2 hours.	A
6	Shock	Devices are shocked to half sine wave (981m/s <sup>2</sup> ) three mutually perpendicular axis each 3 times.	А
7	Drop	Devices are dropped from the height 75cm onto wooden block. (more than 30mm thickness.) Execution 3 times random drops	А
8	Solderability	Pre-heat temperature : +150±10°C Pre-heat time : 60~120s When the temperature of the specimen is reached at +215±3°C, it shall be left for 30±1sec. Peak temperature 240±5°C Material: Pb-free (Sn-3.0Ag-0.5Cu) Flux : Rosin resin methyl alcohol solvent (1:4)	В
9	Reflow resistance	Pre-heat temperature : +150~180°C Pre-heat time : 90±30s Heat temperature : more than +230°C Heat time : 30s±10s Peak temperature : +260±5°C Peak time : less than 10s	A

## **Reliability assurance item**

\*1. High Temperature Storage and Temperature Cycling In case of customer spec on High temperature exceed +85°C, Low temperature exceed -40°C, above test according to customer spec high or low temperature will be perform and guarantee.

Specification code	Specification
A	$\Delta f/f \le \pm 5 \text{ ppm}$ $\Delta CI/CI \le \pm 15 \% \text{ or } 5 \Omega \text{ make use larger value}$
В	The electrodes should be covered by a new solder at least 90% of immersed area.