

CRYSTAL SPECIFICATION

客户:		
口 / ·		

客户料号:_____

泰晶料号: _____ CS13K032768ADE _____

日期: 2019.1.7

CUSTOMER'S APPROVAL

地址: 湖北省武汉市东湖新技术开发区光谷二路219号光谷新动力15号楼

电话: 027-65521137, FAX: 027-65521932 (PLEASE RETURN A COPY WITH APPOVAL

Hubei TKD Electronic Technology Co.,LTD

湖北泰晶电子科技股份有限公司

APPROVED	DESIGNER
代 伟	何金玲

SALE Department : TEL : 0722-3309660 FAX : 0722-3309768 QCD Department : TEL : 0722-3308231 FAX : 0722-3309768 FAE Department : TEL : 0755-27328651 FAX : 0755-27328001



REV.	Description of Revision History	Date	Designer	Checked By
\	New revision	2019年1月7日	HE JIN LING	Dai Wei



CRYSTAL SPECIFICATION

1. Description: Tuning Fork Quartz Crystal

Nominal Frequency: 32.768KHz
 Oscillation Mode: Fundamental
 Cutting Mode: X-2° cut

5. Measurement Instrument: S&A 250B(Calculated FL)

6. Electrical Characteristics:[1]Operation Conditions:

Item	Symbol	MIN.	TYP.	MAX.	Unit	Condition
Operating Temperature Range	Topt	-40		85	$^{\circ}$	
Storage Temperature Range	Tstg	-55		125	$^{\circ}$	
Load Capacitance	CL		12.5		pF	
Drive Level	DL		0.1		uW	

[2]Frequency Stability:

Item	Symbol	MIN.	TYP.	MAX.	Unit	Condition
Tolerance	dF/Fo	-20		20	ppm	Refer to Center Frequency@25±3℃
Stability Over Temperature	dF/F25		-0.036		ppm/°C²	Refer to Operating Temperature
Aging	dF/F25	-5		5	ppm	Per Year

dF/Fo:Frequency Deviation Refer to Center Frequency dF/F25:Frequency Deviation Refer to 25℃ Frequency

[3]Electrical Performance:

Item	Symbol	MIN.	TYP.	MAX.	Unit	Condition
Equivalent Series Resistance	ESR			50	ΚΩ	@Series
Shunt Capacitance	C0			5	pF	
Insulation Resistance	IR	500			ΜΩ	@DC 100 Volt


_				
/	1//12	rkını	n∙I	aser
1.	ivia	יו ווא ו	и. L	.ฉอนเ


Marking Generally: 32.768. Refer to with Customer's requirement.


32.768




8. Outline drawing (unit: mm)










Recommended soldering pattern






9.	Reliability	Specification
----	-------------	---------------

9. Reliability Specification						
Test Items	Test Method and Condition	Requirements				
Vibration	(1)Vibration Frequency 10 to 55Hz (2)Vibration Amplitude 1.5mm (3) Cycle Time 1-2min(10-55-10Hz) (4)Direction X.Y.Z (5)Duration 2h/each direction	Frequency Change:±10ppm Max. Resistance Change:±15% or 5kohm Max.				
Shock	3 Times free drop from 75cm height to hard wooden board of thickness more than 30mm	Frequency Change:±10ppm Max. Resistance Change:±15% or 5kohm Max.				
Hermetic seal	Helium leak detector Checked:before the molded crystal uints	less than 1 × 10 EXP(-7) mbar.l/sec.				
Solder ability	Dip the leads of crystal units into the solution (7-10%) of rosin 3±0.5s,then dip it into the tank 5-10s. Temperature of solder melted tank is $245^{\circ}\text{C}\pm5^{\circ}\text{C}$	The dipped surface of the leads should be at least 95% covered with continuous new solder coating				
High temperature	240 hours at +85 °C ±2 °C After 1-2hours past at room temperature from following	Frequency Change:±10ppm Max. Resistance Change:±25% or 10kohm Max.				
Low temperature	240 hours at -40°C±2°C After 1-2hours past at room temperature from following test.	Frequency Change:±10ppm Max. Resistance Change:±15% or 5kohm Max.				
Humidity	240 hours at +40 °C±2 °C, relative humidity 90-95% After 1-2hours past at room temperature from following	Frequency Change:±10ppm Max. Resistance Change:±25% or 10kohm Max.				
Temperature cycle	After supplying the following temperature cycle (50cycles) +100deg.C	Frequency Change:±10ppm Max. Resistance Change:±25% or 10kohm Max.				





10. Handling Notice for Standard Tuning Fork Crystal (Cylindrical Type)

10.1. Shock resistance

It may deteriorate the characteristics or cause of no oscillation if excess physical shock given. Please be careful not to drop. Please use under condition to minimize the shocks as much as possible.

Please review the conditions if it is used by auto mounting or after the conditions are changed.


10.2. Heat and humidity resistance in storage

Storing the crystal products under higher or lower temperature or high humidity for a long period may deteriorate the characteristics of crystal units. Please store and use the crystal products at the normal temperature and humidity.

10.3 Solder heat resistance

Please review the condition or consult us about flow solder process.


Our soldering condition is under 265°C within 15 \pm 5sec .



10.4. Mounting metho

When the crystal products need to be lay down please fix to PCB securely.

If the crystal is used with mechanical vibration location, please put cushion in between PCB or fix with elasticity glue (Silicon etc) as shown in below figure. Please don't gluing hermetic seal grass.



10.5. Ultrasonic cleaning and ultrasonic soldering

Soldered by ultrasonic cannot be guaranteed, because crystal may be sympathetic vibrated and may damage. Please study at your side about ultrasonic cleaning.

10.6. Drive level

Applying excessive drive level to the crystal units may cause deterioration of characteristics or damage. Less then $1.0\mu W$ is recommended to this products. More than $2.0\mu W$ cannot be guaranteed.

10.7. Solder paste should be more than 150 μ m thickness.

10.8.Storage environment

- 10.8.1 To storage the reel at +15 $^{\circ}$ C to +35 $^{\circ}$ C,25%RH to 65%RH of Humidity.
- 10.8.2 To open the packing just before using.
- 10.8.3 Not to expose the sun.
- 10.8.4 Not to storage with some erosive chemicals.
- 10.8.5 Nothing is allowed to put on the reel or carton to prevent mechanical damage.



11.PACKING

\bigcirc PACKING: (TAPE / REEL)

