

ASPI-1367



14.0 x 12.9 x 6.7mm RoHS/RoHS Compliant

#### **Features**

- 100%lead (Pb) free.
- Lowest DCR/µH, in this package size.
- Frequency range up to 5.0 MHz
- Handles high transient current spikes without saturation
- Ultra low buzz noise, due to composite construction

## **Applications**

- PDA/notebook/desktop/server applications
- Low profile, high current power supplie
- Battery powered devices
- DC/DC converter for Field Programmable Gate Array (FPGA)

### **Electrical Specifications**

**Operating Temperature:** 

-40°C to +125°C

Storage Temperature: Less than +40°C, 70% RH

Part Number	L	Tolerance	$R_{DC}(m\Omega)$	$R_{DC}$ (m $\Omega$ )	I <sub>sat</sub>	I <sub>rms</sub>	Lead
ASPI-1367-	(μΗ)	(M)	Тур	Max	(A)	(A)	Type*
R15	0.15	M	0.49	0.60	118.0	55.0	NLF
R22	0.22	M	0.47	0.60	112.0	53.0	NLF
R33	0.33	M	0.65	0.80	68.0	46.0	NLF
R47	0.47	M	0.90	1.20	63.0	41.0	NLF
R56	0.56	M	1.05	1.20	58.0	37.0	NLF
R68	0.68	M	1.25	1.50	55.0	35.0	NLF
1R0	1.00	M	1.70	2.30	48.0	30.0	NLF
1R5	1.50	M	2.50	3.00	45.0	27.0	NLF
2R2	2.20	M	3.80	4.00	37.0	22.0	LF
3R3	3.30	M	5.70	6.80	30.0	18.0	LF
4R7	4.70	M	7.00	8.40	28.0	13.5	LF
5R6	5.60	M	8.50	10.0	23.0	12.5	LF
6R8	6.80	M	9.50	11.5	18.0	11.5	LF
8R2	8.20	M	12.0	15.5	16.0	10.5	LF
100	10.0	M	13.2	16.5	15.5	10.0	LF
150	15.0	M	23.2	28	13.0	9.0	LF
220	22.0	M	32.5	37	12.0	9.0	LF
330	33.0	M	48	58	11.0	8.0	LF
470	47.0	M	76	90	9.5	6.5	LF
680	68.0	M	110	130	7.8	4.8	LF
101	100	M	145	165	5.5	4.2	LF

<sup>\*</sup>Lead Type: NLF=Non-Leadframe, LF=Leadframe





**ASPI-1367** 




14.0 x 12.9 x 6.7mm RoHS/RoHS Compliant


#### **Test Conditions**

- 1. Inductance tested at 200kHz, 0.25V, 0A; Tolerance M=±20%
- 2. All test data is in reference to 25°C ambient.
- 3. Isat will cause the inductance value to drop approximately 30%
- 4. Irms will cause an approximate ΔT of 40°C
- 5. The part temperature (ambient + temp. rise) should not exceed 125°C under worst case operating conditions. Circuit design, component placement, PWB trace size and thickness, airflow and other cooling provisions all affect the part temperature. Part temperature should be verified in the end application.
- 6. Please contact Abracon for the availability of other inductance values.

#### **Part Number Identification**



#### Mechanical Information



Type: Leadframe (LF)

Type: Non-Leadframe (NLF)

A	A'	В	C	D	E
$13.5 \pm 0.5$	$12.5 \pm 0.3$	$12.50 \pm 0.50$	$6.20 \pm 0.30$	$2.30 \pm 0.3$	4.70 ±0.3

**Dimensions: mm** 






## **ASPI-1367**



14.0 x 12.9 x 6.7mm RoHS/RoHS Compliant

#### **Mechanical Dimensions Cont.**


### **Recommended Land Pattern**



G H T
14.2 ref. 5.0 ref. 8.0 ref.

**Dimensions: mm** 

#### **Composition and Materials**



Type: Leadframe



Type: Non-Leadframe

#	Material
1	Core
2	Wire
2	Leadframe: Clip
3	Non-Leadframe: Solder Tab
4	Paint
5	Ink






**ASPI-1367** 



14.0 x 12.9 x 6.7mm RoHS/RoHS Compliant

#### **Reflow Profile**



Zone	Description	Temperature	Time
1	Preheat / Soak	$\begin{array}{c} T_{\text{SMIN}} \sim T_{\text{SMAX}} \\ 150^{\circ}\text{C} \sim 200^{\circ}\text{C} \end{array}$	60 ~ 180 sec.
2	Reflow	Т <sub>ь</sub> 217°С	60 ~ 150 sec.
3	Peak heat	Т <sub>Р</sub> 260°С	10 sec. MAX






# **ASPI-1367**




14.0 x 12.9 x 6.7mm RoHS/RoHS Compliant

#### **Packaging**

## T= Tape and Reel (500pcs/reel)



$\mathbf{B}_0$	$\mathbf{B}_{\mathbf{Z}}$	$\mathbf{A_0}$	$A_{\mathbf{Z}}$	$\mathbf{K}_0$	P	W	F	T
14.1±0.1	13.0±0.1	12.9±0.1	7.0±0.1	7.0±0.1	16.0±0.1	24±0.3	11.5±0.1	0.35±0.05



A	В	C	D	
330	100 ±2	13.0 +0.5/-0.2	24.4 +2/-0	

**Dimensions: mm** 

ATTENTION: Abracon LLC's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependent Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon LLC is required. Please contact Abracon LLC for more information.

