

Glass Gas Discharge

RL102 Series

Glass Gas Discharge - RL102 Series

Features


- Compared with other surge absorbers having similar functions has the fast response speed ,largest withstand current and voltage but smallest size.
- All electrical characteristics are very stable even after long period of charge and discharge. There is no need for inspection and exchange periodically.
- Super capability to withstand repeated lightning strikes.
- Stable and very Small electrostatic capacitance (<0.8pf) and great isolation (>100M Ω).
- · No pollution material.
- Bilateral and symmetrical.
- Completely insensitive to weather, temperature, humidity and lightness.




Applications

- Power Supplies
- Motor sparks eliminating
- Relay switching spark absorbing
- Data line pulse guarding
- Electronic devices requiring UL497A and UL497B compliant
- Telephone/Fax/Modem
- High frequency signal transmitters/receivers
- · Satellite antenna
- Radio amplifiers
- Alarm systems
- Cathode ray tubes in Monitors/TVs

Dimensions



Part Number Code






Glass Gas Discharge - RL102 Series

Electrical Characteristics

Type Number	DC Spark-Over Voltage	Insulation Resistance IR		Electrostatic Capacitance 1KHz-6Vmax	Surge current capacity 8/20us	AC withstanding voltage test condition	UL	Surge Life Test
	V	ΜΩ	DC V	pF	Α	А		
RL102-141N	140±30%	>100MΩmin	50	<1.0	1000	-	-	
RL102-201M	200±20%	>100MΩmin	100	<1.0	1000	-	0	
RL102-301M	300±20%	>100MΩmin	100	<1.0	1000	-	0	
RL102-401M	400±20%	>100MΩmin	250	<1.0	1000	-	0	10*700us
RL102-501M	500±20%	>100MΩmin	250	<1.0	1000	-	0	4000V 100A 10time
RL102-701M	700±20%	>100MΩmin	250	<1.0	1000	-	-	
RL102-102M	1000±20%	>100MΩmin	500	<1.0	1000	-	-	
RL102-152M	1500±20%	>100MΩmin	500	<1.0	1000	-	-	

Marking of colcor code



Glass Gas Discharge - RL102 Series

Test Observance Lab

Troubled with surge requirements.

Testhing of their product with the latest impulse voltage and current generators that can duplicate the test requirements of the various worldwide standards agencies. From these tests we can recommend the best solution to help you pass requirements.

Reference standard	Wave form	comments	
JEC standard	1.2/50µs 30kVmax	Indirect lightning protection	
JEC Standard	8/20μs 6kAmax		
IEC61000-4-5 conformance	1.2/50µs 15kV 8/20µs7.5kA	Indirect lightning protection	
IEC61000-4-2 conformance	150pF 330Ω 30kVmax	Static electricty protection	
FCC standard	10/560µs 800V 100A	Communication related protection	
FCC standard	10/160μs 1 .5kV 200A	Communication related protection	
FCC standard conformance	10/700μs 15kVmax	Communication related protection	
IEEE	0.5μ-100kHz 6kVmax	-	
	AC600V 40A 1.5s	Communications (AC power cross)	
UL standards	AC600V 7A 5s		
OL standards	AC600V 2 .2A 30min		
	Over-voltage to AC600V		
	Rectangular wave, pulse width 50~1000ns, 4kV max, 30~60Hz		
	2/10μs 2 .5kV 1kA		
others	10/200μs 20kVmax	-	
	0.5/700μs 6kVmax		
	100/700μs 5kVmax		


^{*}Products being developed can't meet UL standards.

^{*}Need to protect equipment from indirect lightning surges in the field.


Glass Gas Discharge - RL102 Series

Surge Applications

 Power supply requiring AC withstanding voltage test





2. High quality supply



Conditions		AC125V	AC250V
Normal mode (Between L1 and L2)	RL302 (2)	RL302-301M	RL302-501M
Common mod (Between L ₁ , L ₂ -GND) RL302 (1)	Test is not required	RL302-301M	RL302-501M
	AC1200V	RL302-242M	RL302-242M
AC withstanding voltage test condition	AC1500V	RL302-302M	RL302-302M
	AC1800V	RL302-362M	RL302-362M
	AC2000V	RL302-452M	RL302-452M


Applications : SW power supply, inverter power supply, power supply of office and home appliance






Glass Gas Discharge - RL102 Series

Surge Applications



Glass Gas Discharge - RL102 Series

Recommended Soldering Conditions



- 1) Time shown in the above figures is measured from the point when chip surface reaches temperature.
- 2) Temperature difference in high temperature part should be within 110°C.
- 3) After soldering, do not force cool, allow the parts to cool gradually.

Hand Soldering

Solder iron temperature: 350±5℃ Heating time: 3 seconds max.

General attention to soldering

- High soldering temperatures and long soldering times can cause leaching of the termination, decrease in adherence strength, and the change of characteristic may occur.
- ullet For soldering, please refer to the soldering curves above. However, please keep exposures to temperatures exceeding 200°C to fewer than 50 seconds.
- Please use a mild flux (containing less than 0.2wt% CI). Also, if the flux is water soluble, be sure to wash thoroughly to remove any residue from the underside of components that could affect resistance.

Cleaning

When using ultrasonic cleaning, the board may resonate if the output power is too high. Since this vibration can cause cracking or a decrease in the adherence of the termination, we recommend that you use the conditions below.

Frequency: 40kHz max.

Output power: 20W/liter

Cleaning time: 5 minutes max.




Glass Gas Discharge - RL102 Series

Test Methods And Results

ITEM	TEST METHOD	STANDARD	
Static Life	10KV with 1500pf condens er is discharged through $2 \text{K}\Omega$ resistor. 200 times at an interval of 10sec .	Rate-of-change, within±30% insulation resistance & capacitance, conformed to rated spec.	
Cold Resistance	Measurement after -40°C/1000 HRS & normal temperature/2 HRS.	Features are conformed to rated spec.	
Heat Resistance	Measurement after 125°C/1000 HRS & normal temperature/2 HRS.STANDARD		
Humidity Resistance	Measurement after humidity 90~95%(45°C)/1000 HRS & normal temperature/2 HRS.		
Temperature Cycle	10 times repetition of cycle -40 $^{\circ}$ C/30min normal,temp/2 min \rightarrow 125 $^{\circ}$ C/30min,measurement after normal temp/2 HRS.		
Solder Ability	Apply flux and immerse in molten solder230±5°C for 3sec up to the point of 1.5mmFrom body. Check for solder adhesion.	Lead wire is evenly covered by solder.	
Solder Heat	Measurement after lead wire is dipped up to the point of 1.5mm from body into $260\pm5^{\circ}$ C solder for 10sec.	Conformed to rated spec.	
Pull Strength	Apply 0.5kg load for 10sec.	- Lead shall not pull out or snap.	
Flexural Strength	Bend lead wire at the point of 2mm from body under 0.25 load and back to its original point. Repeat 1 time.		

Glass Gas Discharge - RL102 Series

Ordering Information



Warehouse Storage Conditions of Products

- Storage Conditions:
- 1. Storaging temperature range: -25°C+85°C.
- 2. Relative Humidity:≤75%RH
- 3. Keep away from corrosive atmosphere and sunlight.
- 4. Period of Storage: 1 year



RuiLongYuan Electronics Co., Ltd.

- Reproducing and modifying information of the document is prohibited without permission from Ruilongyuan International Inc.
- Ruilongyuan International Inc. reserves the rights to make changes of the content herein the document anytime without notification. Please refer to our website for the latest document.
- Ruilongyuan International Inc. disclaims any and all liability arising out of the application or use of any product including damages incidentally and consequentially occurred.
- Ruilongyuan International Inc. does not assume any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.
- Applications shown on the herein document are examples of standard use and operation. Customers are responsible
 in comprehending the suitable use in particular applications. Ruilongyuan International Inc. makes no representation or
 warranty that such applications will be suitable for the specifed use without further testing or modification.
- The products shown herein are not designed and authorized for equipments requiring high level of reliability or relating to human life and for any applications concerning life-saving or life-sustaining, such as medical instruments, transportation equipment, aerospace machinery et cetera. Customers using or selling these products for use in such applications do so at their own risk and agree to fullyindemnify Ruilongyuan International Inc. for any damages resulting from such improper use or sale.

