

Mil Standard to Delevan Conversion Chart

CURRENT			PREVIOUS			CURRENT			PREVIOUS			CURRENT			PREVIOUS			CURRENT			PREVIOUS		
MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER
MS 14046	LT10K	1537	MS 18130	LT4K		▼ MS18100 -10 thru -20 See MS14040 MS18100 -23 thru -27 See MS14041 MS18100 -28 thru -32 See MS14042 MS18100 -33 thru -37 See MS14043 MS18100 -38 thru -42 See MS14044 MS18117 Canceled— No Superseding Document MS18118 Canceled— No Superseding Document MS18130 -17 thru -26 See MS14046 MS18131 Canceled— No Superseding Document MS18132 Canceled— No Superseding Document MS18133 Canceled— No Superseding Document						-20	373	-152K				-24	375	-24J			
-1	128	-30K	17	090								-21	374	-182K				-25	376	-25J			
-2	129	-32K	18	091								-22	375	-222K				-26	377	-26J			
-3	130	-34K	19	092								-23	376	-272K				-27	378	-27J			
-4	131	-36K	20	093								-24	377	-332K				-28	379	-28J			
-5	132	-38K	21	094								-25	378	-392K				-29	380	-29J			
-6	133	-40K	22	095								-26	379	-472K				-30	381	-30J			
-7	134	-42K	23	096								-27	380	-562K				-31	382	-31J			
-8	135	-44K	24	097								-28	381	-682K				-32	383	-32J			
-9	136	-47K	25	098								-29	382	-822K				-33	384	-33J			
-10	137	-51K	26	099		-30	383	-103K				-34	385	-34J									
MS 14047	LT10K	3500	MS 75052	LT4K		▼ MS18117 Canceled— No Superseding Document MS18118 Canceled— No Superseding Document MS18130 -17 thru -26 See MS14046 MS18131 Canceled— No Superseding Document MS18132 Canceled— No Superseding Document MS18133 Canceled— No Superseding Document						MS* 21368	LT10K	150				-35	386	-35J			
-1	138	-04K	3	054								-1	384	-123K				-36	387	-36J			
-2	139	-06K	4	055								-2	385	-153K				-37	388	-37J			
-3	140	-08K	5	056								-3	386	-183K				-38	389	-38J			
-4	141	-10K	6	057								-4	387	-223K				-39	390	-39J			
-5	142	-12K	7	058								-5	388	-273K				-40	391	-40J			
MS 14048	LT10K	3500	MS 75053	LT4K								-6	389	-333K				-41	392	-41J			
-1	143	-14K	1	059								-7	390	-393K				-42	393	-42J			
-2	144	-16K	2	060								-8	391	-473K				-43	394	-43J			
-3	145	-18K	3	061								-9	392	-563K				-44	395	-44J			
-4	146	-20K	4	062		-10	393	-683K				-45	396	-45J									
-5	147	-22K	5	063		-11	394	-823K				-46	397	-46J									
MS 14052	LT10K	2150	MS 90542	LT4K		MS 18130	LT4K	1537	MS 16225	LT7K	102	MS* 21369	LT10K	250	MS* 21389	LT4K	1944						
-1	158	-18K	14	328		-1	074	-00M	1	102		-1	396	-124K	-01	440	-01M						
-2	159	-20K	15	329		-2	075	-02M	2	103		-2	397	-154K	-02	441	-02M						
-3	160	-22K	16	330		-3	076	-04M	3	104		-3	398	-184K	-03	442	-03M						
-4	161	-24K	17	331		-4	077	-06M	4	105		-4	399	-224K	-04	443	-04M						
-5	162	-26K	18	332		-5	078	-07K	5	106		-5	400	-274K	-05	444	-05M						
-6	163	-28K	19	333		-6	079	-08K	6	106		-6	401	-334K	-06	445	-06M						
-7	164	-30K	20	334		-7	080	-10K	7	107		-7	402	-394K	-07	446	-07M						
-8	165	-32K	21	335		-8	081	-12K	8	108		-8	403	-474K	-08	447	-08M						
-9	166	-34K	22	336		-9	082	-14K	9	109		-9	404	-564K	-09	448	-09M						
-10	167	-36K	23	337		-10	083	-16K	10	110		-10	405	-684K	-10	449	-10M						
-11	168	-38K	24	338		-11	084	-18K	11	111		-11	406	-824K	-11	450	-11M						
▼ MS16221 Revision A Super- seded by MS75103 and 91189 MS16222 Revision A Super- seded by MS14052 and 90542 MS16223 Revision B Super- seded by MS14047, 14048, 14049, 14050 and 75052 MS16224 Revision A Super- seded by MS75008 and 75101 MS16225 Revision B Canceled by MS14046 and 18130 MS16226 Revision B Superseded by MS14040, 14041, 14042, 14043, 14044 and 18100						-12	085	-20K	12	112		-12	407	-105K	-12	451	-12M						
						-13	086	-22K	13	113		MS* 21380	LT4K	4470	-13	452	-13M						
						-14	087	-24K	14	114		-01	352	-01K	-14	453	-14M						
						-15	088	-26K	15	115		-02	353	-02K	-15	454	-15K						
						-16	089	-28K	16	116		-03	354	-03K	-16	455	-16K						
						MS 21367	LT10K	100	-04	355	-04K	-04	355	-04K	-17	456	-17K						
						-1	354	-150N	-05	356	-05K	-05	356	-05K									
						-2	355	-220N	-06	357	-06K	-06	357	-06K									
						-3	356	-330N	-07	358	-07K	-07	358	-07K									
						-4	357	-470N	-08	359	-08K	-08	359	-08K									
						-5	358	-680N	-09	360	-09K	-09	360	-09K									
						-6	359	-101N	-10	361	-10K	-10	361	-10K									
						-7	360	-121M	-11	362	-11K	-11	362	-11K									
						-8	361	-151M	-12	363	-12K	-12	363	-12K									
						-9	362	-181M	-13	364	-13K	-13	364	-13K									
						-10	363	-221M	-14	365	-14K	-14	365	-14K									
						-11	364	-271M	-15	366	-15J	-15	366	-15J									
						-12	365	-331M	-16	367	-16J	-16	367	-16J									
						-13	366	-391M	-17	368	-17J	-17	368	-17J									
						-14	367	-471M	-18	369	-18J	-18	369	-18J									
						-15	368	-561M	-19	370	-19J	-19	370	-19J									
						-16	369	-681M	-20	371	-20J	-20	371	-20J									
						-17	370	-821M	-21	372	-21J	-21	372	-21J									
						-18	371	-102M	-22	373	-22J	-22	373	-22J									
						-19	372	-122K	-23	374	-23J	-23	374	-23J									

Mil Standard to Delevan Conversion Chart

CURRENT			PREVIOUS			CURRENT			PREVIOUS			CURRENT			PREVIOUS			CURRENT			PREVIOUS		
MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER
MS*																							
21390	LT4K	1945																					
-01	457	-01K																					
-02	458	-02K																					
-03	459	-03K																					
-04	460	-04K																					
-05	461	-05K																					
-06	462	-06K																					
-07	463	-07K																					
-08	464	-08K																					
-09	465	-09K																					
-10	466	-10K																					
-11	467	-11K																					
-12	468	-12K																					
-13	469	-13J																					
-14	470	-14J																					
-15	471	-15J																					
-16	472	-16J																					
-17	473	-17J																					
-18	474	-18J																					
-19	475	-19J																					
-20	476	-20J																					
-21	477	-21J																					
-22	478	-22J																					
-23	479	-23J																					
-24	480	-24J																					
-25	481	-25J																					
-26	482	-26J																					
-27	483	-27J																					
-28	484	-28J																					
-29	485	-29J																					
-30	486	-30J																					
-31	487	-31J																					
-32	488	-32J																					
-33	489	-33J																					
-34	490	-34J																					
-35	491	-35J																					
-36	492	-36J																					
-37	493	-37J																					
-38	494	-38J																					
-39	495	-39J																					
MS																							
21422	LT4K	2020																					
-1	496	-00K																					
-2	497	-02K																					
-3	498	-04K																					
-4	499	-06K																					
-5	500	-08K																					
-6	501	-10K																					
-7	502	-12K																					
-8	503	-14K																					
-9	504	-16K																					
-10	505	-18K																					
-11	506	-20K																					
-12	507	-22K																					
-13	508	-24J																					
-14	509	-26J																					
-15	510	-28J																					
-16	511	-30J																					
-17	512	-32J																					
-18	513	-34J																					
* COTS – "MS" is for reference only																							
-19	514	-36J																					
-20	515	-38J																					
-21	516	-40J																					
-22	517	-42J																					
-23	518	-44J																					
-24	519	-46J																					
-25	520	-48J																					
MS*																							
21423	LT4K	4445																					
-1	521	-01M																					
-2	522	-02M																					
-3	523	-03M																					
-4	524	-04M																					
-5	525	-05M																					
-6	526	-06M																					
-7	527	-07M																					
-8	528	-08M																					
-9	529	-09M																					
-10	530	-10M																					
-11	531	-11M																					
-12	532	-12M																					
-13	533	-13K																					
-14	534	-14K																					
-15	535	-15K																					
-16	536	-16K																					
-17	537	-17K																					
-18	538	-18K																					
-19	539	-19K																					
-20	540	-20K																					
-21	541	-21K																					
-22	542	-22K																					
-23	543	-23K																					
-24	544	-24K																					
-25	545	-25K																					
MS																							
21426	LT10K	0925																					
-1	518	-101K																					
-2	519	-121K																					
-3	520	-151K																					
-4	521	-181K																					
-5	522	-221K																					
-6	523	-271K																					
-7	524	-331K																					
-8	525	-391K																					

Mil Standard to Delevan Conversion Chart

CURRENT			PREVIOUS			CURRENT			PREVIOUS			CURRENT			PREVIOUS			CURRENT			PREVIOUS		
MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER	MIL STANDARD	TYPE	PART NUMBER
MS 75088	LT10K	1641	MS 90537	LT4K		-3	183	-32K	31	019	MS 90541	LT10K	2500										
-1	203	-102K	13	254		-4	184	-34K	32	020	-1	050	-56J										
-2	204	-122K	14	255		-5	185	-36K	33	021	-2	051	-58J										
-3	205	-152K	15	256		-6	186	-38K	34	022	-3	052	-60J										
-4	206	-182K	16	257		-7	187	-39K	35	023	-4	053	-62J										
-5	207	-222K	17	258		-8	188	-40K	36	024	-5	054	-64J										
-6	208	-272K	18	259		-9	189	-42K	37	025	-6	055	-66J										
-7	209	-332K	19	260		-10	190	-44K	38	026	-7	056	-68J										
-8	210	-392K	20	261		MS 90538	LT10K	1537			-8	057	-70J										
-9	211	-472K	21	262		-1	001	-54J			-9	058	-72J										
-10	212	-562K	22	263		-2	002	-56J			-10	059	-74J										
-11	213	-682K	23	264		-3	003	-58J			-11	060	-76J										
-12	214	-822K	24	265		-4	004	-60J			MS 90542	LT4K	2150	MS 16222	LT7K								
-13	215	-103K	25	266		-5	005	-62J			-1	315	-00K	1	233								
-14	216	-123K	26	267		-6	006	-64J			-2	316	-01K	2	234								
						-7	007	-66J			-3	317	-02K	3	235								
MS 75089	LT10K	1641	MS 90537	LT4K		-8	008	-68J			-4	318	-03K	4	236								
-1	217	-153K	27	268		-9	009	-70J			-5	318	-04K	5	237								
-2	218	-183K	28	269		-10	010	72J			-6	320	-05K	6	238								
-3	219	-223K	29	270		-11	011	-74J			-7	321	-06K	7	239								
-4	220	-273K	30	271		-12	012	-76J			-8	322	-07K	8	240								
-5	221	-333K	31	272		-13	013	-78J			-9	323	-08K	9	241								
-6	222	-393K	32	273		-14	014	-80J			-10	324	-10K										
-7	223	-473K	33	274		-15	015	-82J			-11	325	-12K										
-8	224	-563K	34	275		-16	016	-84J			-12	326	-14K										
-9	225	-683K	35	276		-17	017	-86J			-13	327	-16K										
-10	226	-823K	36	277		-18	018	-88J			▼ MS90542-14 thru -24 See MS14052												
-11	227	-104K	37	278		-19	019	-90J			MS 91189	LT4K	2890	MS 91189	LT8K								
-12	228	-124K	38	279		-20	020	-92J			-14	002	-00K	1	001								
-13	229	-154K	39	280		-21	021	-94J			-15	003	-02K										
-14	230	-184K	40	281		MS 90539	LT10K	2500			-16	004	-03K	2	002								
-15	231	-224K	41	282		-1	022	-00J			-17	005	-04K	3									
-16	232	-274K	42	283		-2	023	-02J			-18	006	-06K										
-17	233	-334K	43	284		-3	024	-04J			-19	007	-08K										
-18	234	-394K	44	285		-4	026	-06J			-20	008	-10K										
-19	235	-474K	45	286		-5	026	-08J			-21	009	-12K										
-20	236	-564K	46	287		-6	027	-10J			-22	010	-14K										
-21	237	-684K	47	288		-7	028	-12J			-23	011	-16K	5	005								
-22	238	-824K	48	289		-8	029	-15J			-24	012	-18K	6	006								
-23	239	-105K	49	290		-9	030	-16J			-25	013	-20K	7	007								
						-10	031	-18J			-26	014	-22K										
MS 75101	LT10K	1840	MS 75008	LT4K		-11	032	-20J			-27	015	-24K										
-1	169	-18K	34	040		-12	033	-22J			-28	016	-26K										
-2	170	-20K	35	041		-13	034	-24J			▼ MS91189-29 thru -38 See MS75103)												
-3	171	-22K	36	042		-14	035	-26J			MS 90540	LT10K	2500										
-4	172	-24K	37	043		-15	036	-28J			-1	037	-30J										
-5	173	-26K	38	044		MS 90540	LT10K	2500			-2	038	-32J										
-6	174	-28K	39	045		-1	037	-30J			-3	039	-34J										
-7	175	-30K	40	046		-2	038	-32J			-4	040	-36J										
-8	176	-32K	41	047		-3	039	-34J			-5	041	-38J										
-9	177	-34K	42	048		-4	040	-36J			-6	042	-40J										
-10	178	-35K	43	049		-5	041	-38J			-7	043	-42J										
-11	179	-36K	44	050		-6	042	-40J			-8	044	-44J										
-12	180	-38K	45	051		-7	043	-42J			-9	045	-46J										
						-8	044	-44J			-10	046	-48J										
MS 75103	LT10K	2890	MS 91189	LT4K		-9	045	-46J			-11	047	-50J										
-1	181	-28K	29	017		-10	046	-48J			-12	048	-52J										
-2	182	-30K	30	018		-11	047	-50J			-13	049	-54J										
* COTS – “MS” is for reference only																							

TECHNICAL

CONTINUED ON NEXT PAGE

Mil 83446/ to Delevan Conversion Chart

GOV'T PART # (TERMINATION)		DELEVAN PART #		GOV'T PART # (TERMINATION)		DELEVAN PART #		GOV'T PART # (TERMINATION)		DELEVAN PART #		GOV'T PART # (TERMINATION)		DELEVAN PART #	
M83446/ 4- 103-		M83446/ 8- * 108-		M83446/ 10- * 3094-		M83446/ 11- * 4379-									
01 ()	121K()	87()	123K()	62()	100K()	62()	101K()								
02 ()	151K()	88()	153K()	63()	120K()	63()	121K()								
03 ()	181K()	89()	183K()	64()	150K()	64()	151K()								
04 ()	221K()	90()	223K()	65()	180K()	65()	181K()								
05 ()	271K()	91()	273K()	66()	220K()	66()	221K()								
06 ()	331K()	92()	333K()	67()	270K()	67()	271K()								
07 ()	391K()	93()	393K()	68()	330K()	68()	331K()								
08 ()	471K()	94()	473K()	69()	390K()	69()	391K()								
09 ()	561K()	95()	565K()	70()	470K()	70()	471K()								
10 ()	681K()	96()	683K()	71()	560K()	71()	561K()								
11 ()	821K()	97()	823K()	72()	680K()	72()	681K()								
12 ()	102K()	98()	104K()	73()	820K()	73()	821K()								
13 ()	122K()			74()	101K()	74()	102K()								
				75()	121K()	75()	122K()								
14 ()	152K()			76()	151K()	76()	152K()								
15 ()	182K()			77()	181K()	77()	182K()								
16 ()	222K()			78()	221K()	78()	222K()								
17 ()	272K()			79()	271K()	79()	272K()								
18 ()	332K()			80()	331K()	80()	332K()								
19 ()	392K()			81()	391K()	81()	392K()								
20 ()	472K()			82()	471K()	82()	472K()								
21 ()	562K()			83()	561K()	83()	562K()								
22 ()	682K()			84()	681K()	84()	682K()								
23 ()	822K()			85()	821K()	85()	822K()								
24 ()	103K()			86()	102K()	86()	103K()								
25 ()	123K()			87()	122K()	87()	123K()								
26 ()	153K()			88()	152K()	88()	153K()								
27 ()	183K()			89()	182K()	89()	183K()								
28 ()	223K()			90()	222K()	90()	223K()								
29 ()	273K()			91()	272K()	91()	273K()								
30 ()	100M()			92()	332K()	92()	333K()								
31 ()	150M()			93()	392K()	93()	393K()								
32 ()	220M()			94()	472K()	94()	473K()								
33 ()	330M()			95()	562K()	95()	563K()								
34 ()	470M()			96()	682K()	96()	683K()								
35 ()	680M()			97()	822K()	97()	823K()								
36 ()	101M()			98()	103K()	98()	104K()								
37 ()	100K()			99()	123K()	99()	124K()								
38 ()	120K()			100()	153K()	100()	154K()								
39 ()	150K()			101()	153K()	101()	184K()								
40 ()	180K()			102()	223K()	102()	224K()								
41 ()	220K()			103()	273K()	103()	274K()								
42 ()	270K()			104()	333K()	104()	334K()								
43 ()	330K()			105()	393K()	105()	394K()								
44 ()	390K()			106()	472K()	106()	474K()								
45 ()	470K()			107()	563K()	107()	564K()								
46 ()	560K()			108()	683K()	108()	684K()								
47 ()	680K()			109()	823K()	109()	824K()								
48 ()	820K()			110()	104K()	110()	105K()								
49 ()	101K()			111()	124K()	111()	125K()								
				112()	154K()	112()	155K()								
				113()	184K()	113()	185K()								
				114()	224K()	114()	225K()								
				115()	274K()	115()	275K()								
				116()	334K()	116()	335K()								
				117()	394K()	117()	395K()								
				118()	474K()	118()	475K()								
				119()	564K()	118()	565K()								
				120()	684K()	120()	685K()								
				121()	824K()	121()	825K()								
				122()	105K()	122()	106K()								

* COTS – "MS" is
for reference only

MIL-PRF-83446

/4, /8, /10, /11 & /38

TERMINATION FINISH OPTIONS:

CODE A – Final finish gold over nickel

CODE B – Final finish tin-lead over nickel

CODE F – Final finish tin-lead

Mil 83446/ to Delevan Conversion Chart

GOV'T. PART #	DELEVAN PART #	GOV'T. PART #	DELEVAN PART #	GOV'T. PART #	DELEVAN PART #	GOV'T. PART #	DELEVAN PART #	GOV'T. PART #	DELEVAN PART #	GOV'T. PART #	DELEVAN PART #	GOV'T. PART #	DELEVAN PART #
M83446/ 20- M0820-		M83446/ 23- M1330-		M83446/ 26- M1331-		M83446/ 28- MIL2510-		M83446/ 31- MIL1330-		M83446/ 34- MIL1331-		M83446/ 38- 160-	
01F	00K	01F	94K	01F	101K	01F00K		01F	94K	01F	101K	01()	100M()
02F	02K	02F	96K	02F	121K	02F	02K	02F	96K	02F	121K	02()	120M()
03F	04K	03F	00K	03F	151K	03F	04K	03F	00K	03F	151K	03()	150M()
04F	06K	04F	02K	04F	181K	04F	06K	04F	02K	04F	181K	04()	180M()
05F	08K	05F	04K	05F	221K	05F	08K	05F	04K	05F	221K	05()	220M()
06F	10K	06F	06K	06F	271K	06F	10K	06F	06K	06F	271K	06()	270M()
07F	12K	07F	08K	07F	331K	07F	12K	07F	08K	07F	331K	07()	330M()
08F	14K	08F	10K	08F	391K	08F	14K	08F	10K	08F	391K	08()	390M()
09F	16K	09F	12K	09F	471K	09F	16K	09F	12K	09F	471K	09()	470M()
		10F	14K	10F	561K			10F	14K	10F	561K	10()	560M()
		11F	16K	11F	681K	M83446/ 29- MIL2510-		11F	16K	11F	681K	11()	680M()
		12F	18K	12F	821K			12F	18K	12F	821K	12()	820M()
		13F	20K	13F	102K	01F	18K	13F	20K	13F	102K	13()	101K()
M83446/ 21- M0820-				14F	122K	02F	20K	M83446/ 32- MIL1330-		14F	122K	14()	121K()
01F	18K	M83446/ 24- M1330-		15F	152K	03F	22K			15F	152K	15()	151K()
02F	20K			16F	182K	04F	24K	01F	22K	16F	182K	16()	181K()
03F	22K	01F	22K	17F	222K	05F	26K	02F	24K	17F	222K	17()	221K()
04F	24K	02F	24K	18F	272K	06F	28K	03F	26K	18F	272K	18()	271K()
05F	26K	03F	26K	19F	332K	07F	30K	04F	28K	19F	332K	19()	301K()
06F	28K	04F	28K	20F	392K	08F	32K	05F	30K	20F	392K	20()	331K()
07F	30K	05F	30K	21F	472K	09F	34K	06F	32K	21F	472K	21()	361K()
08F	32K	06F	32K	22F	562K	10F	36K	07F	34K	22F	562K	22()	391K()
09F	34K	07F	34K	23F	682K	11F	38K	08F	36K	23F	682K	23()	421K()
10F	36K	08F	36K	24F	822K	12F	40K	09F	38K	24F	822K	24()	471K()
11F	38K	09F	38K	25F	103K	13F	42K	10F	40K	25F	103K	25()	561J()
12F	40K	10F	40K	26F	123K	14F	44K	11F	42K	26F	123K	26()	681J()
13F	42K	11F	42K	27F	153K	15F	46K	12F	44K	27F	153K	27()	821J()
14F	44K	12F	44K	28F	183K	16F	48K	13F	46K	28F	183K	28()	102J()
15F	46K	13F	46K	29F	223K	17F	50K	14F	48K	29F	223K	29()	122J()
16F	48K	14F	48K	30F	273K	18F	52K	15F	50K	30F	273K	30()	152J()
17F	50K	15F	50K	31F	333K	19F	54K	16F	52K	31F	333K	31()	182J()
18F	52K	16F	52K	32F	393K	20F	56K	17F	54K	32F	393K	32()	222J()
19F	54K	17F	54K	33F	473K	21F	58K			33F	473K	33()	272J()
20F	56K			34F	563K	22F	60K	M83446/ 33- MIL1330-		34F	563K	34()	332J()
21F	58K	M83446/ 25- M1330-		35F	683K	23F	62K			35F	683K	35()	392J()
22F	60K			36F	823K	24F	64K	01F	56K	36F	823K	36()	472J()
23F	62K	01F	56K	37F	104K	25F	66K	02F	58K	37F	104K	37()	562J()
24F	64K	02F	58K	M83446/ 27- M1331-		26F	68K	03F	60K	M83446/ 35- MIL1331-		38()	682J()
25F	66K	03F	60K			27F	70K	04F	62K			39()	822J()
26F	68K	04F	62K	01F	124K	28F	72K	05F	64K	01F	124K	40()	103J()
27F	70K	05F	64K	02F	154K	M83446/ 30- MIL2510-		06F	66K	02F	154K	41()	123J()
28F	72K	06F	66K	03F	184K			07F	68K	03F	184K	42()	153J()
		07F	68K	04F	224K	01F	74K	08F	70K	04F	224K	43()	183J()
M83446/ 22- M0820-		08F	70K	05F	274K	02F	76K	09F	72K	05F	274K	44()	223J()
01F	74K	09F	72K	06F	334K	03F	78K	10F	74K	06F	334K	45()	273J()
02F	76K	10F	74K	07F	394K	04F	80K	11F	76K	07F	394K	46()	333J()
03F	78K	11F	76K	08F	474K	05F	82K	12F	78K	08F	474K	47()	393J()
04F	80K	12F	78K	09F	564K	06F	84K	13F	80K	09F	564K	48()	473J()
05F	82K	13F	80K			07F	86K	14F	82K			49()	563J()
06F	84K	14F	82K			08F	88K	15F	84K			50()	683J()
07F	86K	15F	84K			09F	90K	16F	86K			51()	823J()
08F	88K	16F	86K			10F	92K	17F	88K			52()	104J()
09F	90K					11F	94K	18F	90K			53()	124J()
10F	92K	17F	88K			12F	96K	19F	92K			54()	154J()
11F	94K	18F	90K									55()	184J()
12F	96K	19F	92K									56()	224J()
												57()	274J()
												58()	334J()
												59()	394J()
												60()	474J()
												61()	564J()

MIL-PRF-83446 TERMINATION FINISH:

/20 thru /35

CODE F – Final finish tin-lead

/38 Options:

CODE B – Final finish tin-lead over nickel

CODE F – Final finish tin-lead

TECHNICAL

Mil 83446/ to Delevan Conversion Chart

GOV'T. PART # (TERMINATION)	DELEVAN PART #	GOV'T. PART # (TERMINATION)	DELEVAN PART #	GOV'T. PART # (TERMINATION)	DELEVAN PART #	GOV'T. PART # (TERMINATION)	DELEVAN PART #
M83446/ 39- MIL1812-		M83446/ 39- MIL1812R-		M83446/ 40- MILS1812-		M83446/ 40- MILS1812R-	
-01F-100M		-01P-100M		-01F-101K		-01P-101K	
-02F -120M		-02P -120M		-02F -121K		-02P -121K	
-03F -150M		-03P -150M		-03F -151K		-03P -151K	
-04F -160M		-04P -160M		-04F -181K		-04P -181K	
-05F -220M		-05P -220M		-05F -221K		-05P -221K	
-06F -270M		-06P -270M		-06F -271K		-06P -271K	
-07F -330M		-07P -330M		-07F -331K		-07P -331K	
-08F -390M		-08P -390M		-08F -391K		-08P -391K	
-09F -470M		-09P -470M		-09F -471K		-09P -471K	
-10F -560M		-10P -560M		-10F -561K		-10P -561K	
-11F -680M		-11P -680M		-11F -681K		-11P -681K	
-12F -820M		-12P -820M		-12F -821K		-12P -821K	
-13F -101K		-13P -101K		-13F -102K		-13P -102K	
-14F -121K		-14P -121K		-14F -122K		-14P -122K	
-15F -151K		-15P -151K		-15F -152K		-15P -152K	
-16F -181K		-16P -181K		-16F -182K		-16P -182K	
-17F -221K		-17P -221K		-17F -222K		-17P -222K	
-18F -271K		-18P -271K		-18F -272K		-18P -272K	
-19F -331K		-19P -331K		-19F -332K		-19P -332K	
-20F -391K		-20P -391K		-20F -392K		-20P -392K	
-21F -471K		-21P -471K		-21F -472K		-21P -472K	
-22F -561K		-22P -561K		-22F -562K		-22P -562K	
-23F -681K		-23P -681K		-23F -682K		-23P -682K	
-24F -821K		-24P -821K		-24F -822K		-24P -822K	
-25F -102J		-25P -102J		-25F -103K		-25P -103K	
-26F -122J		-26P -122J		-26F -123K		-26P -123K	
-27F -152J		-27P -152J		-27F -153K		-27P -153K	
-28F -182J		-28P -182J		-28F -183K		-28P -183K	
-29F -222J		-29P -222J		-29F -223K		-29P -223K	
-30F -272J		-30P -272J		-30F -273K		-30P -273K	
-31F -332J		-31P -332J		-31F -333K		-31P -333K	
-32F -392J		-32P -392J		-32F -393K		-32P -393K	
-33F -472J		-33P -472J		-33F -473K		-33P -473K	
-34F -562J		-34P -562J		-34F -563K		-34P -563K	
-35F -682J		-35P -682J		-35F -683K		-35P -683K	
-36F -822J		-36P -822J		-36F -823K		-36P -823K	
-37F -103J		-37P -103J		-37F -104K		-37P -104K	
-38F -123J		-38P -123J		-38F -124K		-38P -124K	
-39F -153J		-39P -153J		-39F -154K		-39P -154K	
-40F -183J		-40P -183J		-40F -184K		-40P -184K	
-41F -223J		-41P -223J		-41F -224K		-41P -224K	
-42F -273J		-42P -273J		-42F -274K		-42P -274K	
-43F -333J		-43P -333J		-43F -334K		-43P -334K	
-44F -393J		-44P -393J		-44F -394K		-44P -394K	
-45F -473J		-45P -473J		-45F -474K		-45P -474K	
-46F -563J		-46P -563J		-46F -564K		-46P -564K	
-47F -683J		-47P -683J		-47F -684K		-47P -684K	
-48F -823J		-48P -823J		-48F -824K		-48P -824K	
-49F -104J		-49P -104J		-49F -105K		-49P -105K	
-50F -124J		-50P -124J					
-51F -154J		-51P -154J					
-52F -184J		-52P -184J					
-53F -224J		-53P -224J					
-54F -274J		-54P -274J					
-55F -334J		-55P -334J					
-56F -394J		-56P -394J					
-57F -474J		-57P -474J					
-58F -564J		-58P -564J					
-59F -684J		-59P -684J					
-60F -824J		-60P -824J					
-61F -105J		-61P -105J					

MIL-PRF-83446
/39 & /40
TERMINATION FINISH OPTIONS:
CODE F – Final finish tin-lead
CODE P – Final finish Pb free