

Amphenol #	Deutsch #	Description
2 WAY PLUGS & RECEPTACLES		
AT04-2P	DT04-2P	Recpt, 2 Way
AT04-2P-RD01	DT04-2P-C015	Recpt, 2 Way, Reduced Dia. Seals (E-Seal)
AT04-2P-SS01	DT04-2P-C017	Recpt, 2 Way, Solid Rear Grommet
AT04-2P-MM01	DT04-2P-CE01	Recpt, 2 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-2P-RD01	DT04-2P-CE02	Recpt, 2 Way, Reduced Dia. Seals (E-Seal), Black
AT04-2P-MM01	DT04-2P-CE03	Recpt, 2 Way, Reduced Dia. Seals (E-Seal), End Cap, Black
	DT04-2P-CE04	Recpt, 2 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
	DT04-2P-CE09	Recpt, 2 Way Reduced Dia. Seals (E-Seal), Shrink Boot Adapter, Black
AT04-2P-EC01	DT04-2P-E003	Recpt, 2 Way, End Cap
AT04-2P	DT04-2P-E004	Recpt, 2 Way, Black
AT04-2P-EC01	DT04-2P-E005	Recpt, 2 Way, End Cap, Black
	DT04-2P-E008	Recpt, 2 Way, Shrink boot adapter
	DT04-2P-LE02	Recpt, 2 Way, Special adapter with viton seal, round housing, end cap
	DT04-2P-N006	Recpt, 2 Way, Receptacle with 90Deg molded in contacts
	DT04-2P-RL01	Recpt, 2 Ways nap-in design, molded in pins, wire leads with crimp terminals
	DT04-2P-RT01	Recpt, 2 Way, With MUR 460 diode
	DT04-2P-RT02	Recpt, 2 Way, with Toshiba diode 3GZ41
	DT04-2P-RT06	Recpt, 2 Way, with Phillips T.V.S diode 1.5KE130CA, Green
	DT04-2P-RT25	Recpt, 2 Way, with 27k ohm resistor, black
AT06-2S	DT06-2S	Plug, 2 Way,
AT06-2S-RD01	DT06-2S-C015	Plug, 2 Way, Reduced Dia. Seals (E-Seal)
AT06-2S-MM01	DT06-2S-CE01	Plug, 2 Way, Reduced Dia. Seals (E-Seal), End Cap
	DT06-2S-CE04	Plug, 2 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
AT06-2S-MM01	DT06-2S-CE05	Plug, 2 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-2S-RD01	DT06-2S-CE06	Plug, 2 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
AT06-2S-EC01	DT06-2S-E003	Plug, 2 Way, End Cap
AT06-2S	DT06-2S-E004	Plug, 2 Way, Black
AT06-2S-EC01	DT06-2S-E005	Plug, 2 Way,End Cap, Black
	DT06-2S-E008	Plug, 2 Way, Shrink boot adapter

	DT06-2S-EF01	Plug, 2 Way, Fluorosilicone front seal, End cap
AT06-2S-EC01	DT06-2S-EP06	Plug, 2 Way, Enhanced seal retention (P012), End cap
	DT06-2S-EP11	Plug, 2 Way, Enhanced seal retention (P012), Shrink boot adapter, Black
AT06-2S	DT06-2S-P012	Plug, 2 Way, Enhanced seal retention, Black
Amphenol #	Deutsch #	Description
3 WAY PLUGS & RECEPTACLES		
AT04-3P	DT04-3P	Recpt, 3 Way
AT04-3P-RD01	DT04-3P-C015	Recpt, 3 Way, Reduced Dia. Seals (E-Seal)
AT04-3P-SS01	DT04-3P-C017	Recpt, 3 Way, Solid Rear Grommet
AT04-3P-MM01	DT04-3P-CE01	Recpt, 3 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-3P-RD01	DT04-3P-CE02	Recpt, 3 Way, Reduced Dia. Seals (E-Seal), Black
AT04-3P-MM01	DT04-3P-CE03	Recpt, 3 Way, Reduced Dia. Seals (E-Seal), End Cap, Black
	DT04-3P-CE04	Recpt, 3 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
	DT04-3P-CE09	Recpt, 3 Way Reduced Dia. Seals (E-Seal), Shrink Boot Adapter, Black
AT04-3P-EC01	DT04-3P-E003	Recpt, 3 Way, End Cap
AT04-3P	DT04-3P-E004	Recpt, 3 Way, Black
AT04-3P-EC01	DT04-3P-E005	Recpt, 3 Way End Cap, Black
	DT04-3P-E008	Recpt, 3 Way, Shrink boot adapter
	DT04-3P-EE01	Recpt, 3 Way, Shrink boot adapter, Black
	DT04-3P-EP10	Recpt, 3 Way 120 ohm terminating resistor (J1939), Black
	DT04-3P-L012	Recpt, 3 Way, Welded Flange
	DT04-3P-LE08	Recpt, 3 Way Welded flange, Shrink boot adapter (J1939), gray
	DT04-3P-LE12	Recpt, 3 Way Welded flange, Shrink boot adapter (J1939), Black
	DT04-3P-P006	Recpt, 3 Way 120 ohm terminating resistor (J1939)
	DT04-3P-P007	Recpt, 3 Way, "Y" connector (J1939)
AT06-3S	DT06-3S	Plug, 3 Way,
	DT06-3S-C008	Plug, 3 Way, Cavity blocked (C)
AT06-3S-RD01	DT06-3S-C015	Plug, 3 Way,, Reduced Dia. Seals (E-Seal)
AT06-3S-SS01	DT06-3S-C017	Plug, 3 Way,, Solid Rear Grommet
AT06-3S-MM01	DT06-3S-CE01	Plug, 3 Way,, Reduced Dia. Seals (E-Seal), End Cap
AT06-3S-RD01	DT06-3S-CE02	Plug, 3 Way,, Reduced Dia. Seals (E-Seal), Black
	DT06-3S-CE04	Plug, 3 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
AT06-3S-MM01	DT06-3S-CE05	Plug, 3 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-3S-RD01	DT06-3S-CE06	Plug, 3 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
	DT06-3S-CE13	Plug, 3 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), shrink boot adaptor
	DT06-3S-CE14	Plug, 3 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), latch guard end cap, Black
	DT06-3S-CL08	Plug, 3 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), Flanged, Black

AT06-3S-SS01	DT06-3S-CP01	Plug, 3 Way, Solid read grommet, Enhanced seal retention(P012), End Cap,
AT06-3S-EC01	DT06-3S-E003	Plug, 3 Way,, End Cap
AT06-3S	DT06-3S-E004	Plug, 3 Way,, Black
AT06-3S-EC01	DT06-3S-E005	Plug, 3 Way,End Cap, Black
	DT06-3S-E008	Plug, 3 Way,, Shrink boot adapter
	DT06-3S-EF02	Plug, 3 Way, Fluorosilicone front seal, Latch guard end cap
AT06-3S-LC01	DT06-3S-EP05	Plug, 3 Way, Latch guard end cap
AT06-3S-EC01	DT06-3S-EP06	Plug, 3 Way,Enhanced seal retention (P012), End cap
AT06-3S-LC01	DT06-3S-EP09	Plug, 3 Way,Enhanced seal retention (P012), Latch guard end cap, Black
	DT06-3S-EP10	Plug, 3 Way,120 ohm terminating resistor (J1939), Black
	DT06-3S-EP11	Plug, 3 Way,Enhanced seal retention (P012), Shrink boot adapter, Black
	DT06-3S-P006	Plug, 3 Way,120 ohm terminating resistor (J1939)
AT06-3S	DT06-3S-P012	Plug, 3 Way,Enhanced seal retention, Black
	DT06-3S-P032	Plug, 3 Way,Integrated shrink boot adapter (J1939), Black
	DT06-3S-PE01	Plug, 3 Way,Terminating resistor, gold socket, latch guard, end cap, J1939
	DT06-3S-PP01	Plug, 3 Way,Enhanced seal retention, Terminating resistor, gold socket, end cap, Black, J1939
Amphenol #	Deutsch #	Description
4 WAY PLUGS & RECEPTACLES		
AT04-4P	DT04-4P	Recpt, 4 Way
AT04-4P-RD01	DT04-4P-C015	Recpt, 4 Way, Reduced Dia. Seals (E-Seal)
AT04-4P-SS01	DT04-4P-C017	Recpt, 4 Way, Solid Rear Grommet
AT04-4P-MM01	DT04-4P-CE01	Recpt, 4 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-4P-RD01	DT04-4P-CE02	Recpt, 4 Way, Reduced Dia. Seals (E-Seal), Black
AT04-4P-MM01	DT04-4P-CE03	Recpt, 4 Way, Reduced Dia. Seals (E-Seal), End Cap, Black
	DT04-4P-CE04	Recpt, 4 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
	DT04-4P-CE09	Recpt, 4 Way Reduced Dia. Seals (E-Seal), Shrink Boot Adapter, Black
AT04-4P-EC01	DT04-4P-E003	Recpt, 4 Way, End Cap
AT04-4P	DT04-4P-E004	Recpt, 4 Way, Black
AT04-4P-EC01	DT04-4P-E005	Recpt, 4 WayEnd Cap, Black
	DT04-4P-E008	Recpt, 4 Way, Shrink boot adapter
	DT04-4P-EP13	Recpt, 4 WayBussed Receptacle, 1 buss, black, nickle plated pins
	DT04-4P-L012	Recpt, 4 Way, Welded Flange
	DT04-4P-LE02	Recpt, 4 WaySpecial adapter with viton seal, round housing, end cap
	DT04-4P-LE04	Recpt, 4 WaySpecial adapter, round housing, end cap, silicone grommet
	DT04-4P-LE11	Recpt, 4 WayWelded flange, End Cap, black
	DT04-4P-LE13	Recpt, 4 WaySpecial adapter, round housing, end cap
	DT04-4P-P021	Recpt, 4 Way, (1) 4 Pin Buss, nickle contacts, gray

	DT04-4P-RT01	Recpt, 4 Way, With MUR 460 diode
	DT04-4P-RT03	Recpt, 4 Way, With MUR 460 diode, 4 way available
AT06-4S	DT06-4S	Plug, 4 Way,
AT06-4S-RD01	DT06-4S-C015	Plug, 4 Way,, Reduced Dia. Seals (E-Seal)
AT06-4S-SS01	DT06-4S-C017	Plug, 4 Way,, Solid Rear Grommet
AT06-4S-MM01	DT06-4S-CE01	Plug, 4 Way,, Reduced Dia. Seals (E-Seal), End Cap
AT06-4S-RD01	DT06-4S-CE02	Plug, 4 Way,, Reduced Dia. Seals (E-Seal), Black
AT06-4S-MM01	DT06-4S-CE03	Plug, 4 Way,, Reduced Dia. Seals (E-Seal), End Cap, Black
	DT06-4S-CE04	Plug, 4 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
AT06-4S-MM01	DT06-4S-CE05	Plug, 4 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-4S-RD01	DT06-4S-CE06	Plug, 4 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
	DT06-4S-CE13	Plug, 4 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), shrink boot adaptor
AT06-4S-SS01	DT06-4S-CP01	Plug, 4 Way,Enhanced seal retention (P012), Solid rear grommet, End cap
AT06-4S-EC01	DT06-4S-E003	Plug, 4 Way,, End Cap
AT06-4S	DT06-4S-E004	Plug, 4 Way,, Black
AT06-4S-EC01	DT06-4S-E005	Plug, 4 Way,End Cap, Black
	DT06-4S-E008	Plug, 4 Way,, Shrink boot adapter
AT06-4S-EC01	DT06-4S-EP06	Plug, 4 Way,Enhanced seal retention (P012), End cap
	DT06-4S-EP11	Plug, 4 Way,Enhanced seal retention (P012), Shrink boot adapter, Black
AT06-4S	DT06-4S-P012	Plug, 4 Way,Enhanced seal retention, Black
Amphenol #	Deutsch #	Description
6 WAY PLUGS & RECEPTACLES		
AT04-6P	DT04-6P	Recpt, 6 Way
AT04-6P-RD01	DT04-6P-C015	Recpt, 6 Way, Reduced Dia. Seals (E-Seal)
AT04-6P-SS01	DT04-6P-C017	Recpt, 6 Way, Solid Rear Grommet
AT04-6P-MM01	DT04-6P-CE01	Recpt, 6 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-6P-RD01	DT04-6P-CE02	Recpt, 6 Way, Reduced Dia. Seals (E-Seal), Black
AT04-6P-MM01	DT04-6P-CE03	Recpt, 6 Way, Reduced Dia. Seals (E-Seal), End Cap, Black
AT04-6P	DT04-6P-CL09	Recpt, 6 Way
AT04-6P-EC01	DT04-6P-E003	Recpt, 6 Way, End Cap
AT04-6P	DT04-6P-E004	Recpt, 6 Way, Black
AT04-6P-EC01	DT04-6P-E005	Recpt, 6 WayEnd Cap, Black
	DT04-6P-EP13	Recpt, 6 WayBussed Receptacle, 1 buss, black, nickle plated pins
	DT04-6P-EP14	Recpt, 6 WayBussed Receptacle, 2 busses, black, nickle plated pins
	DT04-6P-P021	Recpt, 6 WayBussed receptacle, one buss nickle plated pins
AT06-6S	DT06-6S	Plug, 6 Way,
AT06-6S-RD01	DT06-6S-C015	Plug, 6 Way,, Reduced Dia. Seals (E-Seal)

AT06-6S-SS01	DT06-6S-C017	Plug, 6 Way,, Solid Rear Grommet
AT06-6S-MM01	DT06-6S-CE01	Plug, 6 Way,, Reduced Dia. Seals (E-Seal), End Cap
AT06-6S-RD01	DT06-6S-CE02	Plug, 6 Way,, Reduced Dia. Seals (E-Seal), Black
AT06-6S-MM01	DT06-6S-CE03	Plug, 6 Way,, Reduced Dia. Seals (E-Seal), End Cap, Black
AT06-6S-MM01	DT06-6S-CE05	Plug, 6 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-6S-RD01	DT06-6S-CE06	Plug, 6 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
AT06-6S-EC01	DT06-6S-E003	Plug, 6 Way,, End Cap
AT06-6S	DT06-6S-E004	Plug, 6 Way,, Black
AT06-6S-EC01	DT06-6S-E005	Plug, 6 Way,End Cap, Black
AT06-6S-EC01	DT06-6S-EP06	Plug, 6 Way,Enhanced seal retention (P012), End cap
AT06-6S	DT06-6S-P012	Plug, 6 Way,Enhanced seal retention, Black
Amphenol #	Deutsch #	Description
8 WAY PLUGS & RECEPTACLES		
AT04-08PA	DT04-08PA	Recpt, 8 Way
AT04-08PA-RD01	DT04-08PA-C015	Recpt, 8 Way, Reduced Dia. Seals (E-Seal)
AT04-08PA-MM01	DT04-08PA-CE01	Recpt, 8 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-08PA-RD01	DT04-08PA-CE02	Recpt, 8 Way, Reduced Dia. Seals (E-Seal), Black
AT04-08PA-MM01	DT04-08PA-CE03	Recpt, 8 Way, Reduced Dia. Seals (E-Seal), End Cap, Black
	DT04-08PA-CL07	Recpt, 8 Way, Reduced Dia. Seals (E-Seal), Sealed flange, shrink boot adapter
AT04-08PA-EC01	DT04-08PA-E003	Recpt, 8 Way, End Cap
AT04-08PA	DT04-08PA-E004	Recpt, 8 Way, Black
AT04-08PA-EC01	DT04-08PA-E005	Recpt, 8 WayEnd Cap, Black
	DT04-08PA-E008	Recpt, 8 Way, Shrink boot adapter
	DT04-08PA-L012	Recpt, 8 Way, Welded Flange
	DT04-08PA-LE03	Recpt, 8 Way, flange, inside mount, O-ring gasket, end cap, shrink cap adapter
	DT04-08PA-LE11	Recpt, 8 WayWelded flange, End Cap, black
	DT04-08PA-P021	Recpt, 8 WayBussed receptacle, one buss nickle plated pins
	DT04-08PA-P026	Recpt, 8 WayBussed receptacle, one buss nickle plated pins
	DT04-08PA-P028	Recpt, 8 WayBussed receptacle, two busses nickle plated pins
AT04-08PB	DT04-08PB	Recpt, 8 Way
AT04-08PB-RD01	DT04-08PB-C015	Recpt, 8 Way, Reduced Dia. Seals (E-Seal)
AT04-08PB-MM01	DT04-08PB-CE01	Recpt, 8 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-08PB-EC01	DT04-08PB-E003	Recpt, 8 Way, End Cap
	DT04-08PB-L012	Recpt, 8 Way, Welded Flange
	DT04-08PB-P021	Recpt, 8 WayBussed receptacle, one buss nickle plated pins
	DT04-08PB-P026	Recpt, 8 WayBussed receptacle, one buss nickle plated pins
	DT04-08PB-P028	Recpt, 8 WayBussed receptacle, two busses nickle plated pins

AT04-08PC	DT04-08PC	Recpt, 8 Way
AT04-08PC-RD01	DT04-08PC-C015	Recpt, 8 Way, Reduced Dia. Seals (E-Seal)
AT04-08PC-MM01	DT04-08PC-CE01	Recpt, 8 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-08PC-EC01	DT04-08PC-E003	Recpt, 8 Way, End Cap
AT04-08PD	DT04-08PD	Recpt, 8 Way
AT04-08PD-RD01	DT04-08PD-C015	Recpt, 8 Way, Reduced Dia. Seals (E-Seal)
AT04-08PD-MM01	DT04-08PD-CE01	Recpt, 8 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-08PD-EC01	DT04-08PD-E003	Recpt, 8 Way, End Cap
AT06-08SA	DT06-08SA	Plug, 8 Way,
AT06-08SA-RD01	DT06-08SA-C015	Plug, 8 Way,, Reduced Dia. Seals (E-Seal)
AT06-08SA-SS01	DT06-08SA-C017	Plug, 8 Way,, Solid Rear Grommet
AT06-08SA-MM01	DT06-08SA-CE01	Plug, 8 Way,, Reduced Dia. Seals (E-Seal), End Cap
AT06-08SA-MM01	DT06-08SA-CE05	Plug, 8 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-08SA-RD01	DT06-08SA-CE06	Plug, 8 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
AT06-08SA-RD01	DT06-08SA-CE10	Plug, 8 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), Black
AT06-08SA-EC01	DT06-08SA-E003	Plug, 8 Way,, End Cap
AT06-08SA-EC01	DT06-08SA-E005	Plug, 8 Way,End Cap, Black
	DT06-08SA-E008	Plug, 8 Way,, Shrink boot adapter
AT06-08SA-EC01	DT06-08SA-EP06	Plug, 8 Way,Enhanced seal retention (P012), End cap
AT06-08SA	DT06-08SA-EP07	Plug, 8 Way,Enhanced seal retention (P012), Black
AT06-08SA-EC01	DT06-08SA-EP08	Plug, 8 Way,Enhanced seal retention (P012), End cap, Black
AT06-08SA	DT06-08SA-P012	Plug, 8 Way,Enhanced seal retention
AT06-08SB	DT06-08SB	Plug, 8 Way,
AT06-08SB-RD01	DT06-08SB-C015	Plug, 8 Way,, Reduced Dia. Seals (E-Seal)
AT06-08SB-SS01	DT06-08SB-C017	Plug, 8 Way,, Solid Rear Grommet
AT06-08SB-MM01	DT06-08SB-CE01	Plug, 8 Way,, Reduced Dia. Seals (E-Seal), End Cap
AT06-08SB-MM01	DT06-08SB-CE05	Plug, 8 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-08SB-RD01	DT06-08SB-CE06	Plug, 8 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
AT06-08SB-EC01	DT06-08SB-EP06	Plug, 8 Way,Enhanced seal retention (P012), End cap
AT06-08SB	DT06-08SB-P012	Plug, 8 Way,Enhanced seal retention
AT06-08SC	DT06-08SC	Plug, 8 Way,
AT06-08SC-RD01	DT06-08SC-C015	Plug, 8 Way,, Reduced Dia. Seals (E-Seal)
AT06-08SC-SS01	DT06-08SC-C017	Plug, 8 Way,, Solid Rear Grommet
AT06-08SC-MM01	DT06-08SC-CE01	Plug, 8 Way,, Reduced Dia. Seals (E-Seal), End Cap
AT06-08SC-MM01	DT06-08SC-CE05	Plug, 8 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-08SC-EC01	DT06-08SC-EP06	Plug, 8 Way,Enhanced seal retention (P012), End cap
AT06-08SC	DT06-08SC-P012	Plug, 8 Way,Enhanced seal retention
AT06-08SD	DT06-08SD	Plug, 8 Way,

AT06-08SD-RD01	DT06-08SD-C015	Plug, 8 Way,, Reduced Dia. Seals (E-Seal)
AT06-08SD-MM01	DT06-08SD-CE05	Plug, 8 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-08SD-EC01	DT06-08SD-EP06	Plug, 8 Way,Enhanced seal retention (P012), End cap
AT06-08SD	DT06-08SD-P012	Plug, 8 Way,Enhanced seal retention
Amphenol #	Deutsch #	Description
12 WAY PLUGS & RECEPACLES		
AT04-12PA	DT04-12PA	Recpt, 12 Way
AT04-12PA	DT04-12PA-B016	Recpt, 12 Way, with enhanced A keys
AT04-12PA-EC01	DT04-12PA-BE02	Recpt, 12 Way, with enhanced A key and end cap
AT04-12PA-EC01	DT04-12PA-BE03	Recpt, 12 Way, with enhanced A key and end cap, Black
AT04-12PA-MM01	DT04-12PA-BE04	Recpt, 12 Way, enhanced A key , end cap and reduced dia. Seal (E-Seal), Black
	DT04-12PA-BL04	Recpt, 12 Way, with enhanced A key , welded flange
	DT04-12PA-BL08	Recpt, 12 Way, with enhanced A key , welded flange, Black
	DT04-12PA-BL10	Recpt, 12 Way, enhanced A key Reduced Dia. Seals (E-Seal), Sealed flange, shrink boot adapter
	DT04-12PA-BL11	Recpt, 12 Way, enhanced A key , Reduced Dia. Seals (E-Seal), Sealed flange, End cap
AT04-12PA-RD01	DT04-12PA-C015	Recpt, 12 Way, Reduced Dia. Seals (E-Seal)
AT04-12PA-SS01	DT04-12PA-C017	Recpt, 12 Way, Solid Rear Grommet
AT04-12PA-MM01	DT04-12PA-CE01	Recpt, 12 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-12PA-RD01	DT04-12PA-CE02	Recpt, 12 Way, Reduced Dia. Seals (E-Seal), Black
AT04-12PA-MM01	DT04-12PA-CE03	Recpt, 12 Way, Reduced Dia. Seals (E-Seal), End Cap, Black
AT04-12PA-MM01	DT04-12PA-CE07	Recpt, 12 Way, enhanced A key , Reduced dia. Seal (E-Seal), end cap
AT04-12PA-RD01	DT04-12PA-CE08	Recpt, 12 Way, enhanced A key , Reduced Dia. Seals (E-Seal)
	DT04-12PA-CL11	Recpt, 12 Way, enhanced A key , Reduced Dia. Seals (E-Seal), Sealed flange, End cap
AT04-12PA-EC01	DT04-12PA-E003	Recpt, 12 Way, End Cap
AT04-12PA	DT04-12PA-E004	Recpt, 12 Way, Black
AT04-12PA-EC01	DT04-12PA-E005	Recpt, 12 Way, End Cap, Black
	DT04-12PA-E008	Recpt, 12 Way, Shrink boot adapter
	DT04-12PA-L012	Recpt, 12 Way, Welded Flange
	DT04-12PA-LE01	Recpt, 12 Way, Sealed flange, inside mount, gasket, end cap
	DT04-12PA-LE03	Recpt, 12 Way, Sealed flange, inside mount, O-ring gasket, end cap
	DT04-12PA-LE05	Recpt, 12 Way, Sealed flange, inside mount, gasket, end cap
	DT04-12PA-LE06	Recpt, 12 Way, Sealed flange, inside mount, reduced dia. seals (E-seal), end cap
	DT04-12PA-LE07	Recpt, 12 Way,Welded flange, End Cap
	DT04-12PA-LE09	Recpt, 12 Way,Welded flange, o-ring, End Cap, black
	DT04-12PA-LE10	Recpt, 12 Way, Sealed flange, inside mount, gasket, end cap, black
	DT04-12PA-LE14	Recpt, 12 Way,Welded flange, black
	DT04-12PA-LE17	Recpt, 12 Way, Sealed flange, gasket sold separately, end cap, black

	DT04-12PA-P016	Recpt, 12 Way, Bussed receptacle, gold plated contacts
	DT04-12PA-P021	Recpt, 12 Way, Bussed receptacle, one buss nickel plated pins
	DT04-12PA-P026	Recpt, 12 Way, Bussed receptacle, one buss nickel plated pins
	DT04-12PA-P027	Recpt, 12 Way, Bussed receptacle, two busses nickel plated pins
	DT04-12PA-P030	Recpt, 12 Way, Bussed receptacle, four busses nickel plated pins
	DT04-12PA-P031	Recpt, 12 Way, Bussed receptacle, four busses nickel plated pins
AT04-12PB	DT04-12PB	Recpt, 12 Way
AT04-12PB	DT04-12PB-B016	Recpt, 12 Way, with enhanced B key
AT04-12PB-EC01	DT04-12PB-BE02	Recpt, 12 Way, with enhanced B key and end cap
	DT04-12PB-BL04	Recpt, 12 Way, with enhanced B key, welded flange
	DT04-12PB-BL11	Recpt, 12 Way, with enhanced B key, reduced dia. Seals, sealed flange, end cap
AT04-12PB-RD01	DT04-12PB-C015	Recpt, 12 Way, Reduced Dia. Seals (E-Seal)
AT04-12PB-MM01	DT04-12PB-CE01	Recpt, 12 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-12PB-MM01	DT04-12PB-CE07	Recpt, 12 Way, with enhanced C key, Reduced dia. Seal (E-Seal), end cap
	DT04-12PB-CL11	Recpt, 12 Way, Reduced Dia. Seals (E-Seal), Sealed flange, End cap
AT04-12PB-EC01	DT04-12PB-E003	Recpt, 12 Way, End Cap
	DT04-12PB-L012	Recpt, 12 Way, Welded Flange
	DT04-12PB-LE01	Recpt, 12 Way, Sealed flange, inside mount, gasket, end cap
	DT04-12PB-P016	Recpt, 12 Way, Bussed receptacle, gold plated contacts
	DT04-12PB-P021	Recpt, 12 WayBussed receptacle, one buss nickle plated pins
	DT04-12PB-P026	Recpt, 12 WayBussed receptacle, one buss nickle plated pins
	DT04-12PB-P027	Recpt, 12 WayBussed receptacle, two busses nickle plated pins
	DT04-12PB-P030	Recpt, 12 WayBussed receptacle, four busses nickle plated pins
	DT04-12PB-P031	Recpt, 12 WayBussed receptacle, four busses nickle plated pins
AT04-12PC	DT04-12PC	Recpt, 12 Way
AT04-12PC	DT04-12PC-B016	Recpt, 12 Way, with enhanced C key
AT04-12PC-EC01	DT04-12PC-BE02	Recpt, 12 Way, with enhanced C key and end cap
	DT04-12PC-BL04	Recpt, 12 Way, with enhanced C key, welded flange
AT04-12PC-RD01	DT04-12PC-C015	Recpt, 12 Way, Reduced Dia. Seals (E-Seal)
AT04-12PC-MM01	DT04-12PC-CE01	Recpt, 12 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-12PC-MM01	DT04-12PC-CE07	Recpt, 12 Way, with enhanced C key, Reduced dia. Seal (E-Seal), end cap
	DT04-12PC-L012	Recpt, 12 Way, Welded Flange
	DT04-12PC-LE01	Recpt, 12 Way, Sealed flange, inside mount, gasket, end cap
AT04-12PD	DT04-12PD	Recpt, 12 Way
AT04-12PD	DT04-12PD-B016	Recpt, 12 Way, with enhanced D key
AT04-12PD-EC01	DT04-12PD-BE02	Recpt, 12 Way, with enhanced D key and end cap
	DT04-12PD-BL04	Recpt, 12 Way, with enhanced D key, welded flange
AT04-12PD-RD01	DT04-12PD-C015	Recpt, 12 Way, Reduced Dia. Seals (E-Seal)

AT04-12PD-MM01	DT04-12PD-CE01	Recpt, 12 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-12PD-MM01	DT04-12PD-CE07	Recpt, 12 Way, with enhanced D key, Reduced dia. Seal (E-Seal), end cap
	DT04-12PD-L012	Recpt, 12 Way, Welded Flange
AT06-12SA	DT06-12SA	Plug, 12 Way,
AT06-12SA-RD01	DT06-12SA-C015	Plug, 12 Way,, Reduced Dia. Seals (E-Seal)
AT06-12SA-SS01	DT06-12SA-C017	Plug, 12 Way,, Solid Rear Grommet
AT06-12SA-MM01	DT06-12SA-CE01	Plug, 12 Way,, Reduced Dia. Seals (E-Seal), End Cap
AT06-12SA-RD01	DT06-12SA-CE02	Plug, 12 Way,, Reduced Dia. Seals (E-Seal), Black
	DT06-12SA-CE04	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
AT06-12SA-MM01	DT06-12SA-CE05	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-12SA-RD01	DT06-12SA-CE06	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
AT06-12SA-RD01	DT06-12SA-CE10	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), Black
AT06-12SA-MM01	DT06-12SA-CE11	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End cap, Black
	DT06-12SA-CE13	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), shrink boot adaptor
AT06-12SA-EC01	DT06-12SA-E003	Plug, 12 Way,, End Cap
AT06-12SA-EC01	DT06-12SA-E005	Plug, 12 Way,End Cap, Black
	DT06-12SA-E008	Plug, 12 Way,, Shrink boot adapter
AT06-12SA-EC01	DT06-12SA-EP06	Plug, 12 Way,Enhanced seal retention (P012), End cap
AT06-12SA	DT06-12SA-EP07	Plug, 12 Way,Enhanced seal retention (P012), Black
AT06-12SA-EC01	DT06-12SA-EP08	Plug, 12 Way,Enhanced seal retention (P012), End cap, Black
	DT06-12SA-EP20	Plug, 12 Way,Enhanced seal retention (P012), shrink boot adapter
AT06-12SA	DT06-12SA-P012	Plug, 12 Way,Enhanced seal retention
AT06-12SB	DT06-12SB	Plug, 12 Way,
AT06-12SB-RD01	DT06-12SB-C015	Plug, 12 Way,, Reduced Dia. Seals (E-Seal)
AT06-12SB-MM01	DT06-12SB-CE01	Plug, 12 Way,, Reduced Dia. Seals (E-Seal), End Cap
	DT06-12SB-CE04	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
AT06-12SB-MM01	DT06-12SB-CE05	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-12SB-RD01	DT06-12SB-CE06	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
	DT06-12SB-CE13	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), shrink boot adaptor
AT06-12SB-EC01	DT06-12SB-E003	Plug, 12 Way,, End Cap
	DT06-12SB-E008	Plug, 12 Way,, Shrink boot adapter
AT06-12SB-EC01	DT06-12SB-EP06	Plug, 12 Way,Enhanced seal retention (P012), End cap
AT06-12SB	DT06-12SB-P012	Plug, 12 Way,Enhanced seal retention
AT06-12SC	DT06-12SC	Plug, 12 Way,
AT06-12SC-RD01	DT06-12SC-C015	Plug, 12 Way,, Reduced Dia. Seals (E-Seal)
AT06-12SC-SS01	DT06-12SC-C017	Plug, 12 Way,, Solid Rear Grommet
AT06-12SC-MM01	DT06-12SC-CE01	Plug, 12 Way,, Reduced Dia. Seals (E-Seal), End Cap
	DT06-12SC-CE04	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter

AT06-12SC-MM01	DT06-12SC-CE05	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-12SC-RD01	DT06-12SC-CE06	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
AT06-12SC-EC01	DT06-12SC-E003	Plug, 12 Way,, End Cap
AT06-12SC-EC01	DT06-12SC-EP06	Plug, 12 Way,Enhanced seal retention (P012), End cap
AT06-12SC	DT06-12SC-P012	Plug, 12 Way,Enhanced seal retention
AT06-12SD	DT06-12SD	Plug, 12 Way,
AT06-12SD-RD01	DT06-12SD-C015	Plug, 12 Way,, Reduced Dia. Seals (E-Seal)
	DT06-12SD-CE04	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
AT06-12SD-MM01	DT06-12SD-CE05	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-12SD-RD01	DT06-12SD-CE06	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
AT06-12SD-EC01	DT06-12SD-E003	Plug, 12 Way,, End Cap
AT06-12SD-EC01	DT06-12SD-EP06	Plug, 12 Way,Enhanced seal retention (P012), End cap
AT06-12SD	DT06-12SD-P012	Plug, 12 Way,Enhanced seal retention
Amphenol #	Deutsch #	Description
WEDGES		
AW2P	W2P	Lock, 2 Way, Recpt, Green
	W2PA	Lock, 2 Way, Recpt, A Key, Gray
	W2PB	Lock, 2 Way, Recpt, B Key, Black
	W2PC	Lock, 2 Way, Recpt, C Key, Green
	W2PD	Lock, 2 Way, Recpt, D Key, Brown
AW2S	W2S	Lock, 2 Way, Plug, Orange
AW2S	W2S-P012	Lock, 2 Way, Plug, Enhanced, Green
	W2SA	Lock, 2 Way, Plug, A Key, Gray
	W2SA-P012	Lock, 2 Way, Plug, A Key, Enhanced, Gray
	W2SB	Lock, 2 Way, Plug, B Key, Black
	W2SB-P012	Lock, 2 Way, Plug, B Key, Enhanced, Black
	W2SC	Lock, 2 Way, Plug, C Key, Green
	W2SC-P012	Lock, 2 Way, Plug, C Key, Enhanced, Green
	W2SD	Lock, 2 Way, Plug, D Key, Brown
	W2SD-P012	Lock, 2 Way, Plug, D Key, Enhanced, Brown
AW3P	W3P	Lock, 3 Way, Recpt, Green
	W3P-1939	Lock, 3 Way, Recpt, J1939, Blue
AW3S	W3S	Lock, 3 Way, Plug, Orange
	W3S-1939	Lock, 3 Way, Plug, J1939, Blue
	W3S-1939-P012	Lock, 3 Way, Plug, J1939 Enhanced, Blue
AW3S	W3S-P012	Lock, 3 Way, Plug, Enhanced, Green
AW4P	W4P	Lock, 4 Way, Recpt, Green

AW4S	W4S	Lock, 4 Way, Plug, Orange
AW4S	W4S-P012	Lock, 4 Way, Plug, Enhanced, Green
	W4SA	Lock, 4 Way, Plug, A Key, Gray
	W4SA-P012	Lock, 4 Way, Plug, A Key, Enhanced, Gray
	W4SB	Lock, 4 Way, Plug, B Key, Black
	W4SB-P012	Lock, 4 Way, Plug, B Key, Enhanced, Black
	W4SC	Lock, 4 Way, Plug, C Key, Green
	W4SC-P012	Lock, 4 Way, Plug, C Key, Enhanced, Green
	W4SD	Lock, 4 Way, Plug, D Key, Brown
	W4SD-P012	Lock, 4 Way, Plug, D Key, Enhanced, Brown
AW6P	W6P	Lock, 6 Way, Recpt, Green
AW6S	W6S	Lock, 6 Way, Plug, Orange
AW6S	W6S-P012	Lock, 6 Way, Plug, Enhanced, Green
	W6S2-P012	Lock, 6 Way, Plug, 2 Key, Enhanced, Blue
AW8P	W8P	Lock, 8 Way, Recpt, Green
AW8S	W8S	Lock, 8 Way, Plug, Orange
AW8S	W8S-P012	Lock, 8 Way, Plug, Enhanced, Green
AW12P	W12P	Lock, 12 Way, Recpt, Green
AW12S	W12S	Lock, 12 Way, Plug, Orange
AW12S	W12S-P012	Lock, 12 Way, Plug, Green
Amphenol #	Deutsch #	Description
SEAL PLUGS		
	114019	Plug, Sealing, size 4
	114018	Plug, Sealing, size 8
A114017	114017	Plug, Sealing, size 12-16
	0413-217-1605	Plug, Sealing, locking, size 16
	0413-204-2005	Plug, Sealing, size 20
Amphenol #	Deutsch #	Description
CONTACTS		
	0460-204-0490	Pin, Solid, Size 4, 6 Awg, Nickel
	0460-204-08141	Pin, Solid, Size 8, 8-10 Awg, Nickel
AT60-204-12141	0460-204-12141	Pin, Solid, Size 12, 12-14Awg, Nickle
	0460-208-12141	Pin, Solid, Size 12, Nickel, extended PCB
	0460-211-12141	Pin, Solid, Size 12, 12-14Awg, Nickle, Special DIM
AT60-220-1231	0460-220-1231	Pin, Solid, Size 12, 12-14Awg, Gold
	0460-245-1231	Pin, Solid, Size 12, Gold, extended PCB

	0460-245-1290	Pin, Solid, Size 12, Tin, extended PCB
	0460-256-12233	Pin, Solid, Size 12, Reduced crimp barrel, 16-18Awg, Gold
AT60-215-16141	0460-215-16141	Pin, Solid, Size 16, 14Awg, Nickle
AT60-215-1631	0460-215-1631	Pin, Solid, Size 16, 14Awg, Gold
AT60-202-16141	0460-202-16141	Pin, Solid, Size 16, 16-20Awg, Nickle
AT60-202-1631	0460-202-1631	Pin, Solid, Size 16, 16-20Awg, Gold
	0460-208-16141	Pin, Solid, Size 16, Nickle, Extended PCB (ref dwg 0425-202-0000)
	0460-208-1631	Pin, Solid, Size 16, Gold, Extended PCB (ref dwg 0425-202-0000)
	0460-229-16141	Pin, Solid, Size 16, Nickle, Extended PCB (ref dwg 0425-202-0000)
	0460-241-16141	Pin, Solid, Size 16, Nickle, Extended PCB (ref dwg 0425-202-0000)
	0460-244-16141	Pin, Solid, Size 16, Nickle, Extended PCB (ref dwg 0425-202-0000)
	0460-244-1631	Pin, Solid, Size 16, Gold, Extended PCB (ref dwg 0425-202-0000)
	0460-244-1690	Pin, Solid, Size 16, Tin, Extended PCB (ref dwg 0425-202-0000)
	0460-247-16141	Pin, Solid, Size 16, 16-20AWg, Nickle, extended crimp, seals against rear grommet
	0460-247-1631	Pin, Solid, Size 16, 16-20AWg, Gold, extended crimp, seals against rear grommet
	0460-264-16141	Pin, Solid, Size 16, Nickel, Extended interface
	0460-202-20141	Pin, Solid, Size 20, 20Awg, Nickel
	0460-202-2031	Pin, Solid, Size 20, 20Awg, Gold
	0460-208-2031	Pin, Solid, Size 20, Gold, Extended PCB
	0460-208-2090	Pin, Solid, Size 20, Tin, Extended PCB
	0462-203-04141	Socket, Solid, Size 4, 6Awg, Nickle
	0462-203-08141	Socket, Solid, Size 8, 8-10Awg, Nickle
AT62-203-12141	0462-203-12141	Socket, Solid, Size 12, 12-14Awg, Nickle
AT62-210-1231	0462-210-1231	Socket, Solid, Size 12, 12-14Awg, Gold
	0462-215-1231	Socket, Solid, Size 12, 12-14Awg, Nickle, Special DIM
AT62-209-16141	0462-209-16141	Socket, Solid, Size 16, 14Awg, Nickle
AT62-209-1631	0462-209-1631	Socket, Solid, Size 16, 14Awg, Gold
AT62-201-16141	0462-201-16141	Socket, Solid, Size 16, 16-20Awg, Nickle
AT62-201-1631	0462-201-1631	Socket, Solid, Size 16, 16-20Awg, Gold
	0462-221-1631	Socket, Solid, Size 16, 16-20Awg, Gold, Extended crimp
	0462-201-20141	Socket, Solid, Size 20, 20Awg, Nickle
	0462-201-2031	Socket, Solid, Size 20, 20Awg, Gold
	1060-12-0222	Pin, Stamped & Formed, Size 12, 10Awg, Nickel
	1060-12-0222-PS	Pin, Stamped & Formed, Size 12, 10Awg, Nickel, Partial Strip
	1060-12-0144	Pin, Stamped & Formed, Size 12, 12-14Awg, .113-.176 Insulation,Gold
	1060-12-0144-PS	Pin, Stamped & Formed, Size 12, 12-14Awg, .113-.176 Insulation,Gold, Partial Strip
	1060-12-0166	Pin, Stamped & Formed, Size 12, 12-14Awg, .113-.176 Insulation,Nickel
	1060-12-0166-PS	Pin, Stamped & Formed, Size 12, 12-14Awg, .113-.176 Insulation,Nickel, Partial Strip

AT60-14-0122	1060-14-0122	Pin, Stamped & Formed, Size 16, 14-18Awg, .095-.150 Insulation,Nickel
	1060-14-0122-PS	Pin, Stamped & Formed, Size 16, 14-18Awg, .095-.150 Insulation,Nickel, Partial Strip
AT60-14-0144	1060-14-0144	Pin, Stamped & Formed, Size 16, 14-18Awg, .095-.150 Insulation,Gold
	1060-14-0144-PS	Pin, Stamped & Formed, Size 16, 14-18Awg, .095-.150 Insulation,Gold, Partial Strip
AT60-16-0122	1060-16-0122	Pin, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Nickel
	1060-16-0122-PS	Pin, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Nickel, Partial Strip
AT60-16-0144	1060-16-0144	Pin, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Gold
	1060-16-0144-PS	Pin, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Gold, Partial Strip
AT60-16-0622	1060-16-0622	Pin, Stamped & Formed, Size 16, 16-20Awg, .055-.100 Insulation,Nickel
	1060-16-0622-PS	Pin, Stamped & Formed, Size 16, 16-20Awg, .055-.100 Insulation,Nickel, Partial Reel
AT60-16-0644	1060-16-0644	Pin, Stamped & Formed, Size 16, 16-20Awg, .055-.100 Insulation,Gold
	1060-16-0644-PS	Pin, Stamped & Formed, Size 16, 16-20Awg, .055-.100 Insulation,Gold, Partial Reel
	1060-16-0722	Pin, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Nickel
	1060-16-0988	Pin, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Selective Gold
	1060-16-0988-PS	Pin, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Selective Gold, Partial Reel
	1060-16-1222	Pin, Stamped & Formed, Size 16, 12-16Awg, .075-.140 Insulation,Nickel
	1060-16-1222-PS	Pin, Stamped & Formed, Size 16, 12-16Awg, .075-.140 Insulation,Nickel, Partial Reel
	1060-20-0122	Pin, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation,Nickel
	1060-20-0122-PS	Pin, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation,Nickel, Partial Reel
	1060-20-0144	Pin, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation,Gold
	1060-20-0144-PS	Pin, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation,Gold, Partial Reel
	1060-20-0222	Pin, Stamped & Formed, Size 20, 16-22Awg, .051-.085 Insulation,Nickel
	1060-20-0222-PS	Pin, Stamped & Formed, Size 20, 16-22Awg, .051-.085 Insulation,Nickel, Partial Reel
	1060-20-0244	Pin, Stamped & Formed, Size 20, 16-22Awg, .051-.085 Insulation,Gold
	1060-20-0244-PS	Pin, Stamped & Formed, Size 20, 16-22Awg, .051-.085 Insulation,Gold, Partial Reel
	1062-12-0222	Socket, Stamped & Formed, Size 12, 10Awg, .140-.204 Insulation,Nickel
	1062-12-0222-PS	Socket, Stamped & Formed, Size 12, 10Awg, .140-.204 Insulation,Nickel, Partial Reel
	1062-12-0144	Socket, Stamped & Formed, Size 12, 12-14Awg, .113-.176 Insulation,Gold
	1062-12-0144-PS	Socket, Stamped & Formed, Size 12, 12-14Awg, .113-.176 Insulation,Gold, Partial Reel
	1062-12-0166	Socket, Stamped & Formed, Size 12, 12-14Awg, .113-.176 Insulation,Nickel
	1062-12-0166-PS	Socket, Stamped & Formed, Size 12, 12-14Awg, .113-.176 Insulation,Nickel, Partial Reel
AT62-14-0122	1062-14-0122	Socket, Stamped & Formed, Size 16, 14-18Awg, .095-.150 Insulation,Nickel
	1062-14-0122-PS	Socket, Stamped & Formed, Size 16, 14-18Awg, .095-.150 Insulation,Nickel, Partial Reel
AT62-14-0144	1062-14-0144	Socket, Stamped & Formed, Size 16, 14-18Awg, .095-.150 Insulation,Gold
	1062-14-0144-PS	Socket, Stamped & Formed, Size 16, 14-18Awg, .095-.150 Insulation,Gold, Partial Reel
AT62-16-0122	1062-16-0122	Socket, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Nickel
	1062-16-0122-PS	Socket, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Nickel, Partial Reel
AT62-16-0144	1062-16-0144	Socket, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Gold

	1062-16-0144-PS	Socket, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Gold, Partial Reel
AT62-16-0622	1062-16-0622	Socket, Stamped & Formed, Size 16, 16-20Awg, .055-.100 Insulation,Nickel
	1062-16-0622-PS	Socket, Stamped & Formed, Size 16, 16-20Awg, .055-.100 Insulation,Nickel, Partial Reel
AT62-16-0644	1062-16-0644	Socket, Stamped & Formed, Size 16, 16-20Awg, .055-.100 Insulation,Gold
	1062-16-0644-PS	Socket, Stamped & Formed, Size 16, 16-20Awg, .055-.100 Insulation,Gold, Partial Reel
	1062-16-0722	Socket, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Nickel
	1062-16-0722-PS	Socket, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Nickel, Partial Reel
	1062-16-0988	Socket, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Selective Gold
	1062-16-0988-PS	Socket, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Selective Gold, Partial Reel
	1062-16-1222	Socket, Stamped & Formed, Size 16, 12-16Awg, .075-.140 Insulation,Nickel
	1062-16-1222-PS	Socket, Stamped & Formed, Size 16, 12-16Awg, .075-.140 Insulation,Nickel, Partial Reel
	1062-16-1422	Socket, Stamped & Formed, Size 16, 12-16Awg, .075-.140 Insulation,Nickel, Sleeveless
	1062-16-1422-PS	Socket, Stamped & Formed, Size 16, 12-16Awg, .075-.140 Insulation,Nickel, Seleeveless, Partial Reel
	1062-16-1444	Socket, Stamped & Formed, Size 16, 12-16Awg, .075-.140 Insulation, Gold, Sleeveless
	1062-20-0122	Socket, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation,Nickel
	1062-20-0122-PS	Socket, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation,Nickel, Partial Reel
	1062-20-0144	Socket, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation, Gold
	1062-20-0144-PS	Socket, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation, Gold, Partial Reel
	1062-20-0222	Socket, Stamped & Formed, Size 20, 16-22Awg, .051-.085 Insulation,Nickel
	1062-20-0222-PS	Socket, Stamped & Formed, Size 20, 16-22Awg, .051-.085 Insulation,Nickel, Partial Reel
	1062-20-0244	Socket, Stamped & Formed, Size 20, 16-22Awg, .051-.085 Insulation,Gold
	1062-20-0244-PS	Socket, Stamped & Formed, Size 20, 16-22Awg, .051-.085 Insulation, Gold, Partial Reel
	1062-20-0322	Socket, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation,Nickel, Sleeveless
	1062-20-0322-PS	Socket, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation,Nickel, Sleeveless, Partial Reel
	1062-20-0344	Socket, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation, Gold, Sleeveless
	1062-20-0344-PS	Socket, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation, Gold, Sleeveless, Partial Reel

AMPHENOL STANDARD COLOR IS GREY