

DIN RAIL

WE OFFER A COMPLETE LINE OF SLOTTED OR SOLID DIN RAIL - 35MM x 15MM, 35MM x 7.5MM) IN 1 OR 2 METER LENGTHS. DIN RAIL MOUNTS IN A VARIETY OF ENCLOSURES AND JUNCTION BOXES.

DIN RAIL SAVES SPACE SINCE IT ORGANIZES
TERMINALS IN A SET PATTERN. DIN RAIL SAVES
TIME SINCE MANY OTHER CONTROL COMPONENTS
CAN BE MOUNTED ON THE SAME RAIL - NO
COMPONENTS ARE DIRECT MOUNTED - ULTIMATELY
SAVING OUR CUSTOMERS MONEY.

OUR DIN RAIL IS MADE OF STEEL AND ZINC PLATED FINISH, WHICH IS THE INDUSTRY STANDARD AND ALSO ROHS COMPLIANT. AS ALWAYS, OUR RAILS ARE NOT MARKED WITH A COMPANY NAME AND ARE CE APPROVED.


FEATURES

STEEL DESIGN ZINC PLATING, WHITE 2 METER LENGTH COMPETITIVE PRICING INDUSTRY STANDARD MATERIALS CE APPROVED No Markings On Rail

SLOTTED




35 MM X 7.5 MM SLOTTED STANDARD PACK: 40




TS3575SL TS3575SL1






35 MM X 7.5 MM SOLID STANDARD PACK: 40



TS3575SOL

35 MM X 15 MM SLOTTED




TS3515SL

STANDARD PACK: 20



35 MM X 15 MM SOLID STANDARD PACK: 20



TS3515SOL

35 MM X 15 MM SOLID STANDARD PACK: 20





DIN RAIL CROSS REFERENCE

AMERICAN ELECTRICAL	TS3575SL	TS3575SOL	TS3515SL	TS3515SOL	TS3515SOLH
ENTRELEC	173220.05	174300.17	101598.26	168700.22	168500.12
PHOENIX CONTACT	801733	801681	1201730	1201717	-
WAGO	210-112	210-113	210-197	210-114	210-118
WEIDMULLER	51450	38340	23650	23640	49800
WIELAND	98.300.10000.0	98.300.10000.0	98.300.10000.0	98.300.10000.0	98.300.10000.0



DIN RAIL ALUMINUM

FEATURES

LIGHTWEIGHT ALUMINUM


1 METER LENGTH

COMPETITIVE PRICING

STANDARD PACK OF 40 NO MARKINGS ON RAIL







TS3575SL1-A

DIN RAIL CUTTER



TS 3 CUT

FEATURES

CUTS 35x15, 35x7.5 AND 15MM DIN RAIL
NO DEBURRING NECESSARY. CLEAN CUTS
LITTLE FORCE REQUIRED FOR OPERATION
FAST, ACCURATE CUTS
INTEGRATED 1 METER MEASURING STICK INCLUDED

TECHNICAL DATA

LENGTH STOP: MAX. 1000 MM

DIMENSIONS: 1090 (L) X 150 (W) X 760 (D) MM

43 (L) X 6 (W) X 30 (D) INCHES

WEIGHT: 18 LBS, 8.3 KG

