


# LXZ Series

- Adoption of innovative electrolyte and new technologies
- Very low impedance at high frequency
- Endurance with ripple current: 2,000 to 8,000 hours at 105°C
- Solvent resistant type (see PRECAUTIONS AND GUIDELINES)
- RoHS Compliant
- AEC-Q200 compliant : Please contact Chemi-Con for more details, test data, information.




## SPECIFICATIONS

| Items                      | Characteristics   |
|----------------------------|---|
| Category                   | -55 to +105°C   |
| Temperature Range          |   |
| Rated Voltage Range        | 6.3 to 63V <sub>dc</sub>  |
| Capacitance Tolerance      | ±20% (M) (at 20°C, 120Hz)   |
| Leakage Current            | I=0.01CV or 3μA, whichever is greater.<br>Where, I : Max. leakage current (μA), C : Nominal capacitance (μF), V : Rated voltage (V) (at 20°C after 2 minutes)   |
| Dissipation Factor (tan δ) | Rated voltage (V <sub>dc</sub> )  |
|                            | tan δ (Max.)  |
|                            | When nominal capacitance exceeds 1,000μF, add 0.02 to the value above for each 1,000μF increase. (at 20°C, 120Hz)   |
| Endurance                  | The following specifications shall be satisfied when the capacitors are restored to 20°C after subjected to DC voltage with the rated ripple current is applied (the peak voltage shall not exceed the rated voltage) for the specified period of time at 105°C.                        |
|                            | Time  |
|                            | Capacitance change  |
|                            | D.F. (tan δ)  |
| Shelf Life                 | The following specifications shall be satisfied when the capacitors are restored to 20°C after exposing them for 1,000 hours at 105°C without voltage applied. Before the measurement, the capacitor shall be preconditioned by applying voltage according to Item 4.1 of JIS C 5101-4. |
|                            | Capacitance change  |
|                            | D.F. (tan δ)  |
|                            | Leakage current   |


## DIMENSIONS [mm]

### Terminal Code : E



| φD  | 5          | 6.3 | 8   | 10  | 12.5 | 16  | 18  |
|-----|------------|-----|-----|-----|------|-----|-----|
| φd  | 0.5        | 0.5 | 0.6 | 0.6 | 0.6  | 0.8 | 0.8 |
| F   | 2.0        | 2.5 | 3.5 | 5.0 | 5.0  | 7.5 | 7.5 |
| φD' | φD+0.5max. |     |     |     |      |     |     |
| L'  | L+1.5max.  |     |     |     |      |     |     |

## PART NUMBERING SYSTEM



Please refer to "Product code guide (radial lead type)"

## ◆STANDARD RATINGS

| WV (Vdc) | Cap (μF) | Case size φD×L(mm) | Impedance (Ω max./100kHz) |       | Rated ripple current (mA rms/105°C, 100kHz) | Part No.           | WV (Vdc) | Cap (μF) | Case size φD×L(mm) | Impedance (Ω max./100kHz) |                    | Rated ripple current (mA rms/105°C, 100kHz) | Part No.           |
|----------|----------|--------------------|---------------------------|-------|---|--------------------|----------|----------|--------------------|---------------------------|--------------------|---|--------------------|
|          |          |                    | 20°C                      | -10°C |   |                    |          |          |                    | 20°C                      | -10°C              |   |                    |
| 6.3      | 150      | 5×11.5             | 0.50                      | 1.0   | 175   | ELXZ6R3E□□151MEB5D | 16       | 3,300    | 12.5×35            | 0.022                     | 0.044              | 2,510                                       | ELXZ160E□□332MK35S |
|          | 330      | 6.3×11.5           | 0.25                      | 0.50  | 290   | ELXZ6R3E□□331MFB5D |          | 3,900    | 12.5×40            | 0.017                     | 0.034              | 2,870                                       | ELXZ160E□□392MK40S |
|          | 470      | 6.3×15             | 0.18                      | 0.36  | 400   | ELXZ6R3E□□471MF15D |          | 3,900    | 16×25              | 0.022                     | 0.044              | 2,560                                       | ELXZ160E□□392ML25S |
|          | 680      | 8×12               | 0.12                      | 0.24  | 555   | ELXZ6R3E□□681MH12D |          | 3,900    | 18×20              | 0.028                     | 0.056              | 2,490                                       | ELXZ160E□□392MM20S |
|          | 820      | 10×12.5            | 0.090                     | 0.18  | 760   | ELXZ6R3E□□821MJC5S |          | 4,700    | 16×30              | 0.019                     | 0.038              | 3,010                                       | ELXZ160E□□472ML30S |
|          | 1,000    | 8×15               | 0.090                     | 0.18  | 730   | ELXZ6R3E□□102MH15D |          | 4,700    | 18×25              | 0.020                     | 0.040              | 2,740                                       | ELXZ160E□□472MM25S |
|          | 1,200    | 8×20               | 0.080                     | 0.16  | 810   | ELXZ6R3E□□122MH20D |          | 5,600    | 16×35              | 0.017                     | 0.034              | 3,150                                       | ELXZ160E□□562ML35S |
|          | 1,200    | 10×16              | 0.068                     | 0.136 | 1,050                                       | ELXZ6R3E□□122MJ16S |          | 5,600    | 18×30              | 0.018                     | 0.036              | 3,330                                       | ELXZ160E□□562MM30S |
|          | 1,500    | 10×20              | 0.052                     | 0.104 | 1,220                                       | ELXZ6R3E□□152MJ20S |          | 6,800    | 16×40              | 0.015                     | 0.030              | 3,710                                       | ELXZ160E□□682ML40S |
|          | 2,200    | 10×25              | 0.045                     | 0.090 | 1,440                                       | ELXZ6R3E□□222MJ25S |          | 8,200    | 18×35              | 0.016                     | 0.032              | 3,680                                       | ELXZ160E□□822MM35S |
|          | 2,700    | 10×30              | 0.037                     | 0.074 | 1,690                                       | ELXZ6R3E□□272MJ30S |          | 10,000   | 18×40              | 0.015                     | 0.030              | 3,800                                       | ELXZ160E□□103MM40S |
|          | 3,300    | 12.5×20            | 0.038                     | 0.076 | 1,660                                       | ELXZ6R3E□□332MK20S |          | 47       | 5×11.5             | 0.50                      | 1.0                | 175   | ELXZ250E□□470MEB5D |
|          | 3,900    | 12.5×25            | 0.030                     | 0.060 | 1,950                                       | ELXZ6R3E□□392MK25S |          | 100      | 6.3×11.5           | 0.25                      | 0.50               | 290   | ELXZ250E□□101MFB5D |
|          | 4,700    | 12.5×30            | 0.025                     | 0.050 | 2,310                                       | ELXZ6R3E□□472MK30S |          | 150      | 6.3×15             | 0.18                      | 0.36               | 400   | ELXZ250E□□151MF15D |
|          | 5,600    | 12.5×35            | 0.022                     | 0.044 | 2,510                                       | ELXZ6R3E□□562MK35S |          | 220      | 8×12               | 0.12                      | 0.24               | 555   | ELXZ250E□□221MH12D |
|          | 5,600    | 16×20              | 0.029                     | 0.058 | 2,210                                       | ELXZ6R3E□□562ML20S |          | 330      | 8×15               | 0.090                     | 0.18               | 730   | ELXZ250E□□331MH15D |
|          | 6,800    | 12.5×40            | 0.017                     | 0.034 | 2,870                                       | ELXZ6R3E□□682MK40S |          | 330      | 10×12.5            | 0.090                     | 0.18               | 760   | ELXZ250E□□331MJC5S |
|          | 6,800    | 16×25              | 0.022                     | 0.044 | 2,560                                       | ELXZ6R3E□□682ML25S |          | 390      | 8×20               | 0.080                     | 0.16               | 810   | ELXZ250E□□391MH20D |
|          | 6,800    | 18×20              | 0.028                     | 0.056 | 2,490                                       | ELXZ6R3E□□682MM20S |          | 470      | 10×16              | 0.068                     | 0.136              | 1,050                                       | ELXZ250E□□471MJ16S |
|          | 8,200    | 16×30              | 0.019                     | 0.038 | 3,010                                       | ELXZ6R3E□□822ML30S |          | 680      | 10×20              | 0.052                     | 0.104              | 1,220                                       | ELXZ250E□□681MJ20S |
| 10,000   | 16×35    | 0.017              | 0.034                     | 3,150 | ELXZ6R3E□□103ML35S                          | 820                | 10×25    | 0.045    | 0.090              | 1,440                     | ELXZ250E□□821MJ25S |   |                    |
| 10,000   | 18×25    | 0.020              | 0.040                     | 2,740 | ELXZ6R3E□□103MM25S                          | 1,000              | 10×30    | 0.037    | 0.074              | 1,690                     | ELXZ250E□□102MJ30S |   |                    |
| 12,000   | 16×40    | 0.015              | 0.030                     | 3,710 | ELXZ6R3E□□123ML40S                          | 1,000              | 12.5×20  | 0.038    | 0.076              | 1,660                     | ELXZ250E□□102MK20S |   |                    |
| 12,000   | 18×30    | 0.018              | 0.036                     | 3,330 | ELXZ6R3E□□123MM30S                          | 1,500              | 12.5×25  | 0.030    | 0.060              | 1,950                     | ELXZ250E□□152MK25S |   |                    |
| 15,000   | 18×35    | 0.016              | 0.032                     | 3,680 | ELXZ6R3E□□153MM35S                          | 1,800              | 12.5×30  | 0.025    | 0.050              | 2,310                     | ELXZ250E□□182MK30S |   |                    |
| 18,000   | 18×40    | 0.015              | 0.030                     | 3,800 | ELXZ6R3E□□183MM40S                          | 1,800              | 16×20    | 0.029    | 0.058              | 2,210                     | ELXZ250E□□182ML20S |   |                    |
| 10       | 100      | 5×11.5             | 0.50                      | 1.0   | 175   | ELXZ100E□□101MEB5D | 2,200    | 12.5×35  | 0.022              | 0.044                     | 2,510              | ELXZ250E□□222MK35S                          |                    |
|          | 220      | 6.3×11.5           | 0.25                      | 0.50  | 290   | ELXZ100E□□221MFB5D | 2,200    | 18×20    | 0.028              | 0.056                     | 2,490              | ELXZ250E□□222MM20S                          |                    |
|          | 330      | 6.3×15             | 0.18                      | 0.36  | 400   | ELXZ100E□□331MF15D | 2,700    | 12.5×40  | 0.017              | 0.034                     | 2,870              | ELXZ250E□□272MK40S                          |                    |
|          | 470      | 8×12               | 0.12                      | 0.24  | 555   | ELXZ100E□□471MH12D | 2,700    | 16×25    | 0.022              | 0.044                     | 2,560              | ELXZ250E□□272ML25S                          |                    |
|          | 680      | 8×15               | 0.090                     | 0.18  | 730   | ELXZ100E□□681MH15D | 3,300    | 16×30    | 0.019              | 0.038                     | 3,010              | ELXZ250E□□332ML30S                          |                    |
|          | 680      | 10×12.5            | 0.090                     | 0.18  | 760   | ELXZ100E□□681MJC5S | 3,300    | 18×25    | 0.020              | 0.040                     | 2,740              | ELXZ250E□□332MM25S                          |                    |
|          | 1,000    | 8×20               | 0.080                     | 0.16  | 810   | ELXZ100E□□102MH20D | 3,900    | 16×35    | 0.017              | 0.034                     | 3,150              | ELXZ250E□□392ML35S                          |                    |
|          | 1,000    | 10×16              | 0.068                     | 0.136 | 1,050                                       | ELXZ100E□□102MJ16S | 3,900    | 18×30    | 0.018              | 0.036                     | 3,330              | ELXZ250E□□392MM30S                          |                    |
|          | 1,200    | 10×20              | 0.052                     | 0.104 | 1,220                                       | ELXZ100E□□122MJ20S | 4,700    | 16×40    | 0.015              | 0.030                     | 3,710              | ELXZ250E□□472ML40S                          |                    |
|          | 1,500    | 10×25              | 0.045                     | 0.090 | 1,440                                       | ELXZ100E□□152MJ25S | 4,700    | 18×35    | 0.016              | 0.032                     | 3,680              | ELXZ250E□□472MM35S                          |                    |
|          | 1,800    | 10×30              | 0.037                     | 0.074 | 1,690                                       | ELXZ100E□□182MJ30S | 5,600    | 18×40    | 0.015              | 0.030                     | 3,800              | ELXZ250E□□562MM40S                          |                    |
|          | 2,200    | 12.5×20            | 0.038                     | 0.076 | 1,660                                       | ELXZ100E□□222MK20S | 33       | 5×11.5   | 0.50               | 1.0                       | 175                | ELXZ350E□□330MEB5D                          |                    |
|          | 3,300    | 12.5×25            | 0.030                     | 0.060 | 1,950                                       | ELXZ100E□□332MK25S | 56       | 6.3×11.5 | 0.25               | 0.50                      | 290                | ELXZ350E□□560MFB5D                          |                    |
|          | 3,900    | 12.5×30            | 0.025                     | 0.050 | 2,310                                       | ELXZ100E□□392MK30S | 100      | 6.3×15   | 0.18               | 0.36                      | 400                | ELXZ350E□□101MF15D                          |                    |
|          | 3,900    | 16×20              | 0.029                     | 0.058 | 2,210                                       | ELXZ100E□□392ML20S | 150      | 8×12     | 0.12               | 0.24                      | 555                | ELXZ350E□□151MH12D                          |                    |
|          | 4,700    | 12.5×35            | 0.022                     | 0.044 | 2,510                                       | ELXZ100E□□472MK35S | 220      | 8×15     | 0.090              | 0.18                      | 730                | ELXZ350E□□221MH15D                          |                    |
|          | 5,600    | 12.5×40            | 0.017                     | 0.034 | 2,870                                       | ELXZ100E□□562MK40S | 220      | 10×12.5  | 0.090              | 0.18                      | 760                | ELXZ350E□□221MJC5S                          |                    |
|          | 5,600    | 16×25              | 0.022                     | 0.044 | 2,560                                       | ELXZ100E□□562ML25S | 270      | 8×20     | 0.080              | 0.16                      | 810                | ELXZ350E□□271MH20D                          |                    |
|          | 5,600    | 18×20              | 0.028                     | 0.056 | 2,490                                       | ELXZ100E□□562MM20S | 330      | 10×16    | 0.068              | 0.136                     | 1,050              | ELXZ350E□□331MJ16S                          |                    |
|          | 6,800    | 16×30              | 0.019                     | 0.038 | 3,010                                       | ELXZ100E□□682ML30S | 470      | 10×20    | 0.052              | 0.104                     | 1,220              | ELXZ350E□□471MJ20S                          |                    |
| 6,800    | 18×25    | 0.020              | 0.040                     | 2,740 | ELXZ100E□□682MM25S                          | 560                | 10×25    | 0.045    | 0.090              | 1,440                     | ELXZ350E□□561MJ25S |   |                    |
| 8,200    | 16×35    | 0.017              | 0.034                     | 3,150 | ELXZ100E□□822ML35S                          | 680                | 10×30    | 0.037    | 0.074              | 1,690                     | ELXZ350E□□681MJ30S |   |                    |
| 8,200    | 18×30    | 0.018              | 0.036                     | 3,330 | ELXZ100E□□822MM30S                          | 680                | 12.5×20  | 0.038    | 0.076              | 1,660                     | ELXZ350E□□681MK20S |   |                    |
| 10,000   | 16×40    | 0.015              | 0.030                     | 3,710 | ELXZ100E□□103ML40S                          | 1,000              | 12.5×25  | 0.030    | 0.060              | 1,950                     | ELXZ350E□□102MK25S |   |                    |
| 10,000   | 18×35    | 0.016              | 0.032                     | 3,680 | ELXZ100E□□103MM35S                          | 1,200              | 12.5×30  | 0.025    | 0.050              | 2,310                     | ELXZ350E□□122MK30S |   |                    |
| 12,000   | 18×40    | 0.015              | 0.030                     | 3,800 | ELXZ100E□□123MM40S                          | 1,200              | 16×20    | 0.029    | 0.058              | 2,210                     | ELXZ350E□□122ML20S |   |                    |
| 16       | 47       | 5×11.5             | 0.50                      | 1.0   | 175   | ELXZ160E□□470MEB5D | 1,500    | 12.5×35  | 0.022              | 0.044                     | 2,510              | ELXZ350E□□152MK35S                          |                    |
|          | 100      | 6.3×11.5           | 0.25                      | 0.50  | 290   | ELXZ160E□□101MFB5D | 1,800    | 12.5×40  | 0.017              | 0.034                     | 2,870              | ELXZ350E□□182MK40S                          |                    |
|          | 220      | 6.3×15             | 0.18                      | 0.36  | 400   | ELXZ160E□□221MF15D | 1,800    | 16×25    | 0.022              | 0.044                     | 2,560              | ELXZ350E□□182ML20S                          |                    |
|          | 330      | 8×12               | 0.12                      | 0.24  | 555   | ELXZ160E□□331MH12D | 1,800    | 18×20    | 0.028              | 0.056                     | 2,490              | ELXZ350E□□182MM20S                          |                    |
|          | 470      | 8×15               | 0.090                     | 0.18  | 730   | ELXZ160E□□471MH15D | 2,200    | 16×30    | 0.019              | 0.038                     | 3,010              | ELXZ350E□□222ML30S                          |                    |
|          | 470      | 10×12.5            | 0.090                     | 0.18  | 760   | ELXZ160E□□471MJC5S | 2,200    | 18×25    | 0.020              | 0.040                     | 2,740              | ELXZ350E□□222MM25S                          |                    |
|          | 560      | 8×20               | 0.080                     | 0.16  | 810   | ELXZ160E□□561MH20D | 2,700    | 16×35    | 0.017              | 0.034                     | 3,150              | ELXZ350E□□272ML35S                          |                    |
|          | 680      | 10×16              | 0.068                     | 0.136 | 1,050                                       | ELXZ160E□□681MJ16S | 2,700    | 18×30    | 0.018              | 0.036                     | 3,330              | ELXZ350E□□272MM30S                          |                    |
|          | 1,000    | 10×20              | 0.052                     | 0.104 | 1,220                                       | ELXZ160E□□102MJ20S | 3,300    | 16×40    | 0.015              | 0.030                     | 3,710              | ELXZ350E□□332ML40S                          |                    |
|          | 1,200    | 10×25              | 0.045                     | 0.090 | 1,440                                       | ELXZ160E□□122MJ25S | 3,300    | 18×35    | 0.016              | 0.032                     | 3,680              | ELXZ350E□□332MM35S                          |                    |
|          | 1,500    | 10×30              | 0.037                     | 0.074 | 1,690                                       | ELXZ160E□□152MJ30S | 3,900    | 18×40    | 0.015              | 0.030                     | 3,800              | ELXZ350E□□392MM40S                          |                    |
|          | 1,500    | 12.5×20            | 0.038                     | 0.076 | 1,660                                       | ELXZ160E□□152MK20S | 22       | 5×11.5   | 0.90               | 1.8                       | 155                | ELXZ500E□□220MEB5D                          |                    |
|          | 2,200    | 12.5×25            | 0.030                     | 0.060 | 1,950                                       | ELXZ160E□□222MK25S | 47       | 6.3×11.5 | 0.45               | 0.90                      | 260                | ELXZ500E□□470MFB5D                          |                    |
|          | 2,700    | 12.5×30            | 0.025                     | 0.050 | 2,310                                       | ELXZ160E□□272MK30S | 68       | 6.3×15   | 0.31               | 0.62                      | 360                | ELXZ500E□□680MF15D                          |                    |
|          | 2,700    | 16×20              | 0.029                     | 0.058 | 2,210                                       | ELXZ160E□□272ML20S | 100      | 8×12     | 0.22               | 0.44                      | 485                | ELXZ500E□□101MH12D                          |                    |

□□ : Enter the appropriate lead forming or taping code.

◆STANDARD RATINGS

| WV<br>(V <sub>dc</sub> ) | Cap<br>(μF) | Case size<br>φD×L(mm) | Impedance<br>(Ω max./100kHz) |       | Rated<br>ripple<br>current<br>(mA <sub>rms</sub> /<br>105°C,<br>100kHz) | Part No.           | WV<br>(V <sub>dc</sub> ) | Cap<br>(μF) | Case size<br>φD×L(mm) | Impedance<br>(Ω max./100kHz) |                    | Rated<br>ripple<br>current<br>(mA <sub>rms</sub> /<br>105°C,<br>100kHz) | Part No.           |
|--------------------------|-------------|-----------------------|------------------------------|-------|---|--------------------|--------------------------|-------------|-----------------------|------------------------------|--------------------|---|--------------------|
|                          |             |                       | 20°C                         | -10°C |   |                    |                          |             |                       | 20°C                         | -10°C              |   |                    |
| 50                       | 120         | 8×15                  | 0.16                         | 0.32  | 635   | ELXZ500E□□121MH15D | 63                       | 39          | 6.3×15                | 0.61                         | 1.4                | 330   | ELXZ630E□□390MF15D |
|                          | 120         | 10×12.5               | 0.16                         | 0.32  | 620   | ELXZ500E□□121MJC5S |                          | 68          | 8×12                  | 0.34                         | 0.75               | 405   | ELXZ630E□□680MH12D |
|                          | 180         | 8×20                  | 0.12                         | 0.24  | 730   | ELXZ500E□□181MH20D |                          | 100         | 8×15                  | 0.27                         | 0.65               | 535   | ELXZ630E□□101MH15D |
|                          | 180         | 10×16                 | 0.13                         | 0.26  | 850   | ELXZ500E□□181MJ16S |                          | 100         | 10×12.5               | 0.255                        | 0.51               | 540   | ELXZ630E□□101MJC5S |
|                          | 220         | 10×20                 | 0.088                        | 0.18  | 1,050   | ELXZ500E□□221MJ20S |                          | 120         | 10×16                 | 0.19                         | 0.38               | 600   | ELXZ630E□□121MJ16S |
|                          | 330         | 10×25                 | 0.073                        | 0.15  | 1,250   | ELXZ500E□□331MJ25S |                          | 150         | 8×20                  | 0.21                         | 0.52               | 690   | ELXZ630E□□151MH20D |
|                          | 390         | 10×30                 | 0.054                        | 0.11  | 1,500   | ELXZ500E□□391MJ30S |                          | 180         | 10×20                 | 0.145                        | 0.29               | 890   | ELXZ630E□□181MJ20S |
|                          | 390         | 12.5×20               | 0.059                        | 0.12  | 1,480   | ELXZ500E□□391MK20S |                          | 220         | 10×25                 | 0.13                         | 0.26               | 1,050   | ELXZ630E□□221MJ25S |
|                          | 560         | 12.5×25               | 0.044                        | 0.088 | 1,840   | ELXZ500E□□561MK25S |                          | 330         | 10×30                 | 0.090                        | 0.18               | 1,300   | ELXZ630E□□331MJ30S |
|                          | 680         | 12.5×30               | 0.039                        | 0.078 | 2,220   | ELXZ500E□□681MK30S |                          | 330         | 12.5×20               | 0.085                        | 0.17               | 1,290   | ELXZ630E□□331MK20S |
|                          | 680         | 16×20                 | 0.048                        | 0.096 | 1,840   | ELXZ500E□□681ML20S |                          | 390         | 12.5×25               | 0.070                        | 0.14               | 1,720   | ELXZ630E□□391MK25S |
|                          | 820         | 12.5×35               | 0.033                        | 0.066 | 2,290   | ELXZ500E□□821MK35S |                          | 470         | 12.5×30               | 0.055                        | 0.11               | 2,090   | ELXZ630E□□471MK30S |
|                          | 820         | 18×20                 | 0.042                        | 0.084 | 1,980   | ELXZ500E□□821MM20S |                          | 470         | 16×20                 | 0.059                        | 0.12               | 1,770   | ELXZ630E□□471ML20S |
|                          | 1,000       | 12.5×40               | 0.029                        | 0.058 | 2,500   | ELXZ500E□□102MK40S |                          | 680         | 12.5×35               | 0.047                        | 0.094              | 2,270   | ELXZ630E□□681MK35S |
|                          | 1,000       | 16×25                 | 0.034                        | 0.068 | 2,240   | ELXZ500E□□102ML25S |                          | 680         | 16×25                 | 0.050                        | 0.10               | 2,160   | ELXZ630E□□681ML25S |
|                          | 1,200       | 16×30                 | 0.028                        | 0.056 | 2,700   | ELXZ500E□□122ML30S |                          | 680         | 18×20                 | 0.055                        | 0.11               | 2,290   | ELXZ630E□□681MM20S |
|                          | 1,200       | 18×25                 | 0.029                        | 0.058 | 2,610   | ELXZ500E□□122MM25S |                          | 820         | 12.5×40               | 0.042                        | 0.084              | 2,560   | ELXZ630E□□821MK40S |
|                          | 1,500       | 16×35                 | 0.025                        | 0.050 | 2,800   | ELXZ500E□□152ML35S |                          | 820         | 16×30                 | 0.043                        | 0.086              | 2,670   | ELXZ630E□□821ML30S |
|                          | 1,800       | 16×40                 | 0.021                        | 0.042 | 3,200   | ELXZ500E□□182ML40S |                          | 820         | 18×25                 | 0.043                        | 0.086              | 2,590   | ELXZ630E□□821MM25S |
|                          | 1,800       | 18×30                 | 0.025                        | 0.050 | 3,000   | ELXZ500E□□182MM30S |                          | 1,000       | 16×35                 | 0.036                        | 0.072              | 2,770   | ELXZ630E□□102ML35S |
| 2,200                    | 18×35       | 0.023                 | 0.046                        | 3,100 | ELXZ500E□□222MM35S  | 1,200              | 16×40                    | 0.030       | 0.060                 | 2,850                        | ELXZ630E□□122ML40S |   |                    |
| 2,700                    | 18×40       | 0.020                 | 0.040                        | 3,400 | ELXZ500E□□272MM40S  | 1,200              | 18×30                    | 0.032       | 0.064                 | 2,950                        | ELXZ630E□□122MM30S |   |                    |
| 63                       | 12          | 5×11.5                | 1.9                          | 4.0   | 145   | ELXZ630E□□120MEB5D | 1,500                    | 18×35       | 0.030                 | 0.060                        | 3,100              | ELXZ630E□□152MM35S  |                    |
|                          | 22          | 6.3×11.5              | 1.0                          | 2.0   | 240   | ELXZ630E□□220MFB5D | 1,800                    | 18×40       | 0.025                 | 0.050                        | 3,210              | ELXZ630E□□182MM40S  |                    |

□□ : Enter the appropriate lead forming or taping code.

◆RATED RIPPLE CURRENT MULTIPLIERS

●Frequency Multipliers

| Capacitance(μF) | Frequency(Hz) |      |      |      |
|-----------------|---------------|------|------|------|
|                 | 120           | 1k   | 10k  | 100k |
| 12 to 180       | 0.40          | 0.75 | 0.90 | 1.00 |
| 220 to 560      | 0.50          | 0.85 | 0.94 | 1.00 |
| 680 to 1,800    | 0.60          | 0.87 | 0.95 | 1.00 |
| 2,200 to 3,900  | 0.75          | 0.90 | 0.95 | 1.00 |
| 4,700 to 18,000 | 0.85          | 0.95 | 0.98 | 1.00 |

The endurance of capacitors is reduced with internal heating produced by ripple current at the rate of halving the lifetime with every 5°C rise. When long life performance is required in actual use, the rms ripple current has to be reduced.