

# Cutting tool - PPS BASIC I/M



1207585

<https://www.phoenixcontact.com/us/products/1207585>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



**Profile cutter**, for cutting standard DIN rails to length, NS 15 / NS 35/7,5 / NS 35/15, and for cutting the NLS-CU 3/10 neutral busbar to length, with inch/metric measuring rail

## Commercial Data

Item number	1207585
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	B24
Product Key	BH3115
Catalog Page	Page 400 (C-3-2019)
GTIN	4017918895228
Weight per Piece (including packing)	9,500 g
Weight per Piece (excluding packing)	9,393 g
Customs tariff number	82034000
Country of origin	DE

# Cutting tool - PPS BASIC I/M

1207585

<https://www.phoenixcontact.com/us/products/1207585>



## Technical Data

### Product properties

Product type	Profile cutters
Type	Inch/Millimeter

### Dimensions

Width	150 mm
Height	180 mm
Length	60 mm
Length of the measuring bar	1000 mm
Length of the hand lever	590 mm
Max. material thickness	1.5 mm

### Material specifications

Color	black
Material	Steel

# Cutting tool - PPS BASIC I/M

1207585

<https://www.phoenixcontact.com/us/products/1207585>



## Classifications

### ECLASS

ECLASS-9.0	21043714
ECLASS-11.0	21043714
ECLASS-10.0.1	21043714

### ETIM

ETIM 8.0	EC002212
----------	----------

### UNSPSC

UNSPSC 21.0	27111500
-------------	----------

# Cutting tool - PPS BASIC I/M

1207585

<https://www.phoenixcontact.com/us/products/1207585>



## Accessories

### Accessories for tools

Accessories for tools - PPS END STOP - 1206311

<https://www.phoenixcontact.com/us/products/1206311>

Stop carriage for measuring bar, complete for profile cutter PPS...



---

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)