


Tr 30 LBE LogM 10.00dBm/ 0.00dBm

Tr 31 CB LogM 10.00dBm/ 0.00dBm

Tr 32 UBE LogM 10.00dBm/ 0.00dBm



>Ch24: SA Start 50.0000 MHz — RBW 3 kHz/VBW 3 kHz Stop 12.2000 GHz
 Ch25: SA Start 50.0000 MHz — RBW 3 kHz/VBW 3 kHz Stop 12.2000 GHz
 Ch26: SA Start 50.0000 MHz — RBW 3 kHz/VBW 3 kHz Stop 12.2000 GHz

Channel Settings

Channel	Sweep Type	Points	Start (MHz)	Stop (GHz)	IF BW (kHz)	Sweep Time (ms)	Pow 1 (dBm)	Pow 2 (dBm)	Pow 3 (dBm)	Pow 4 (dBm)	Pow 5 (dBm)	Pow 6 (dBm)
24	LinFreq	1001	50.000000	12.200000	3.000000	7.267260	-28.000000	-5.000000	-5.000000	-5.000000	-5.000000	9.350000
25	LinFreq	1001	50.000000	12.200000	3.000000	7.267260	-28.000000	-5.000000	-5.000000	-5.000000	-5.000000	9.350000
26	LinFreq	1001	50.000000	12.200000	3.000000	7.267260	-28.000000	-5.000000	-5.000000	-5.000000	-5.000000	9.350000

Trace Attributes

Window	ID	Trace	Channel	Correction	Marker	Position	Response
13	1	LBE	24	SA 2P	1	1800.0005 MHz	-200.00 dBm
					2	8350 MHz	-200.00 dBm
					3	9000 MHz	-200.00 dBm
					4	9649.9999 MHz	-200.00 dBm
					5	10150 MHz	-200.00 dBm
					6	10800 MHz	-200.00 dBm
					7	11450 MHz	-200.00 dBm
					8	12100 MHz	-200.00 dBm
13	2	CB	25	SA 2P	1	8475 MHz	-200.00 dBm
					2	9000 MHz	-200.00 dBm
					3	9525.0001 MHz	-200.00 dBm
					4	10275 MHz	-200.00 dBm
					5	10800 MHz	-200.00 dBm
					6	11325 MHz	-200.00 dBm
					7	11849.999 MHz	-200.00 dBm
13	3	UBE	26	SA 2P	1	8600 MHz	-200.00 dBm
					2	9000 MHz	-200.00 dBm
					3	10400 MHz	-200.00 dBm
					4	10800 MHz	-200.00 dBm
					5	11200 MHz	-200.00 dBm
					6	11400 MHz	-200.00 dBm
					7	11600 MHz	-200.00 dBm
					8	11800 MHz	-200.00 dBm