










RECOMMENDED P.C.B HOLE LAYOUT
COMPONENT SIDE VIEW(TOLERANCE: +/-0.05)

- 说明:
1. 材质:
胶芯: LCP, UL94V-0; COLOR: BLACK
端子: C2680
外壳: SPCC/C2680
 2. 电镀说明:
端子: 接触区域镀金G.F
焊锡区域镀锡100U"
全部区域镍底50U"
外壳: 表面镀镍100U"
 3. 规格说明:
电气性能:
绝缘阻抗 (EIA-364-21): 100MΩ
MIN. AT 500V/DC FOR 1MINUTE.
接触阻抗 (EIA-364-06) 30MΩ MAX.
耐电压 (EIA-364-20) NO DISCHARGE,
FLASHOVER OR BREAKDOWN
AT 500V/AC 1MINUTE.

TOLERANCE UNSPECIFIED . .0 ±0.35 .00 ±0.25 .000 ±0.15 X" ±2.00" CUSTOMER DRAWING		深圳市金航标电子有限公司		WWW.BDS666.COM	
		KH-HDMI-19P-Cu		0755-83044319	
		TITLE: HDMI A TYPE 板上型			
DRAWN DATE	LXH 2018/01/18	SIZE: A4	UNIT: mm.	PART. NO: HAXX-XXXX-X1-1	
CHECKED DATE	LCY 2018/01/18	SCALE: 1:1		PROJECTION	REV. : A
APPROVED DATE	LCY 2018/01/18	DWG PATH		C00-0000-0024	PATH 1/3



脚有凸点



脚无凸点

P/N:

HA02-XXXX- X1-1

1代表铁壳

2代表铜壳

1代表外壳镀镍

1代表外壳镀金

外壳脚规格:

规格	DIM A	DIM B	外壳脚凸点
1	2.16	1.66	无凸点
2	2.16	1.66	带凸点
3	1.50	1.50	无凸点
4	2.20	2.20	无凸点
5	1.50	1.50	带凸点

L1代表端子半金锡0.5U"

L2代表端子半金锡1U"

L3代表端子半金锡3U"

Q3代表端子接触区镀金3U", 焊脚G/F

PIN	Signal Assignment
1	TMDS Data2+
3	TMDS Data2-
5	TMDS Data1 Shield
7	TMDS Data0+
9	TMDS Data0-
11	TMDS Clock Shield
13	CEC
15	SCL
17	DDC/CEC Ground
19	Hot Plug Detect

PIN	Signal Assignment
2	TMDS Data2 Shield
4	TMDS Data1+
6	TMDS Data1-
8	TMDS Data0 Shield
10	TMDS Clock+
12	TMDS Clock-
14	Utility
16	SDA
18	+5V Power

TOLERANCE UNSPECIFIED
 .0 ±0.35
 .00 ±0.25
 .000 ±0.15
 X ±2.00"
 CUSTOMER DRAWING

深圳市金航标电子有限公司


WWW.BDS666.COM

KH-HDMI-19P-Cu

0755-83044319


TITLE: HDMI A TYPE 板上型

DRAWN DATE	LXH 2018/01/18	SIZE:A4	UNIT:mm.	PART. NO:	HAXX-XXXX-X1-1
CHECKED DATE	LCY 2018/01/18	SCALE: 1:1	PROJECTION	REV.:	A
APPROVED DATE	LCY 2018/01/18	DWG PATH	C00-0000-0024	PATH	2/3





NOTES

1. 帶子引導長度
LEAD TAPE LENGTH



2. 出貨運輸過程中一定注意：
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT：
卷帶在運輸過程中不能散開
PEELING OFF SHOULD NOT BE ALLOWED DURING TRANSPORTATION



TOLERANCE UNSPECIFIED . .0 ±0.35 .00 ±0.25 .000 ±0.15 L ° ±2.00° CUSTOMER DRAWING		深圳市金航标电子有限公司		WWW.BDS666.COM	
		KH-HDMI-19P-Cu		0755-83044319	
		TITLE: HDMI A TYPE 板上型			
DRAWN DATE	LXH 2018/01/18	SIZE:A4	UNIT:mm	PART. NO: HAXX-XXXX-X1-1	
CHECKED DATE	LCY 2018/01/18	SCALE: 1:1		PROJECTION	REV. : A
APPROVED DATE	LCY 2018/01/18	DWG PATH		C00-0000-0024	PATH 3/3

(The detail of the packing)						
產品料號 (Product No.)	包裝容量 (Packing Capacity)			重量 Weight (Kg)		
	pcs/box	boxs/Carton	Pcs/Box	N.W./Pcs	N.W./Box	G.W./Box
HAXX-XXXX-X1-1	500	10	5000	—	—	—