

### **LISA2-WWW-PIN**

~80° wide beam optimized for LUXEON Rebel. 6.6 mm high variant with location pin installation.

### **TECHNICAL SPECIFICATIONS:**

| Dimensions     | Ø 9.9 mm  |
|----------------|-----------|
| Height         | 6.6 mm    |
| Fastening      | glue, pin |
| ROHS compliant | yes 🕕     |




## **MATERIAL SPECIFICATIONS:**

| Component        | Туре        | Material | Colour | Finish |
|------------------|-------------|----------|--------|--------|
| LISA2-WWW        | Single lens | PMMA     | clear  |        |
| LISA2-HLD-PIN-RE | Holder      | PC       | black  |        |

### **ORDERING INFORMATION:**

| Component             |             | Qty in box | MOQ | MPQ | Box weight (kg) |
|-----------------------|-------------|------------|-----|-----|-----------------|
| FP11951_LISA2-WWW-PIN | Single lens | 2000       |     | 100 | 1.4             |
| » Box size:           |             |            |     |     |                 |

# PRODUCT DATASHEET FP11951\_LISA2-WWW-PIN



See also our general installation guide: www.ledil.com/installation\_guide



### PHOTOMETRIC DATA (MEASURED):



LED LUXEON Rebel

FWHM / FWTM 80.0°

Efficiency 79 %

LEDs/each optic 1

Light colour White

Required components:

## **WNICHIA**

LED NCSxx19A
FWHM / FWTM 76.0° / 118.0°
Efficiency 79 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White

### **W**NICHIA


Required components:

Required components:

LED NVSxx19B/NVSxx19C

FWHM / FWTM 83.0° / 123.0°

Efficiency 69 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White



# **SAMSUNG**


LED LH181A

FWHM / FWTM 68.0° / 110.0°

Efficiency 73 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White


Required components:







# PHOTOMETRIC DATA (MEASURED):





# PHOTOMETRIC DATA (SIMULATED):





# PRODUCT DATASHEET FP11951\_LISA2-WWW-PIN

### **GENERAL INFORMATION:**

NOTE: The typical beam angle will be changed by different color, chip size and chip position tolerance. The typical total beam angle is the full angle measured where the luminous intensity is half of the peak value.

### **MATERIALS:**

As part of our continuous research and improvement processes, and to ensure the best possible quality and availability of our products, LEDiL reserves the right to change material grades without notice.

### PRODUCT DATA USER AGREEMENT AND DISCLAIMER:

The measured data in the provided downloadable LEDiL Product Datasheets and Mechanical 2D-Drawings is rounded and provided as reference for planning. LEDiL Oy's optical specifications have been verified by conducting performance testing of the products in accordance with the company's quality system. The reported data are averaged results of multiple measurements with typical variation. LEDiL Oy reserves the right to without prior notification make changes and improvements to its products.

LEDiL Oy assumes neither warranty, nor guarantee nor any other liability of any kind for the contents and correctness of the provided data. The provided data has been generated with highest diligence but the provided data may in reality not represent the complete possible variation range of all intrinsic parameters. Therefore, in certain cases a deviation from the provided data could occur.

LEDiL Oy reserves the right to undertake technical changes of its products without further notification which could lead to changes in the provided data. LEDiL Oy assumes no liability of any kind for the possible deviation from any provided data or any other damage resulting from the usage of the provided data.

The user agrees to this disclaimer and user agreement with the download or usage of the provided files.

### **LEDIL Oy**

Joensuunkatu 13 FI-24240 SALO Finland

#### **LEDIL Inc.**

228 West Page Street Suite D Sycamore IL 60178 USA

# Ledil Optics Technology (Shenzhen) Co., Ltd.

# 405, Block B Casic Motor Building Shenzhen 518057 P.R.CHINA

# Local sales and technical support

www.ledil.com/ where\_to\_buy

### **Shipping locations**

Salo, Finland Hong Kong, China

### **Distribution Partners**

www.ledil.com/ where\_to\_buy