

55836-3074	55836-xx74
55836-2074	
55836-1274	
55836-3073	55836-xx73
55836-2073	
55836-1273	
55836-3072	55836-xx72
55836-2072	
55836-1272	
55836-3071	55836-xx71
55836-2071	
55836-1271	
55836-3070	55836-xx70
55836-2070	
55836-1270	
MATERIAL NO.	MODEL NO.

EN-02JA(021)

	10	9	8	7	6	5	4	3	2	1	
F											F
E											E
D											D
C											C
B											B

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1228	1	56381-2028	1	56381-3028	1
PLUG SHELL BODY	56380-1228	1	56380-2028	1	56380-3028	1
PLUG PIN HS'G	51234-1202	1	51234-2002	1	51234-3002	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55836-1271		55836-2071		55836-3071	
タイプ TYPE	A TYPE					

A	RELEASED EC NO: J2006-1791 O	2005/11/30 2005/12/01 2005/12/06	DRAWN: MABEI CHKD: KTOYODA APPR: NUKITA	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION	
					10 UNDER	± 0.2	DRAWN BY M. NABEI	DATE '05/11/29	TITLE COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-					
					10 OVER 30 UNDER	± 0.25	CHECKED BY K. TOYODA	DATE '05/11/29						
					30 OVER	± 0.3	APPROVED BY N. UKITA	DATE '05/11/29	MOLEX MOLEX INCORPORATED					
					ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-55836-006		2 OF 5			
							SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

PLUG MOLD COVER B	51236-1205	I	51236-2005	I	51236-3005	I
PLUG MOLD COVER A	51235-1215	I	51235-2015	I	51235-3015	I
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	I	56382-2000	I	56382-3000	I
PLUG SHELL COVER	56381-1228	I	56381-2028	I	56381-3028	I
PLUG SHELL BODY	56380-1228	I	56380-2028	I	56380-3028	I
PLUG PIN HS'G	51234-1203	I	51234-2003	I	51234-3003	I
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55836-1272		55836-2072		55836-3072	
タイプ TYPE	B TYPE					

RELEASED EC NO: J2006-4791 DRWN:MABEI CHKD:KTOYODA APPR:NUKITA 0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
		10 UNDER ±0.2	M.NABEI	DATE '05/11/29	TITLE COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-			
		10 OVER 30 UNDER ±0.25	CHECKED BY	DATE				
		30 OVER ±0.3	K.TOYODA	'05/11/29				
		APPROVED BY		DATE	 MOLEX INCORPORATED			
	N.UKITA		'05/11/29					
	ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-55836-006		3 OF 5		
		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

	10	9	8	7	6	5	4	3	2	1	
F											F
E											E
D											D
C											C
B											B

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1228	1	56381-2028	1	56381-3028	1
PLUG SHELL BODY	56380-1228	1	56380-2028	1	56380-3028	1
PLUG PIN HS'G	51234-1204	1	51234-2004	1	51234-3004	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55836-1273		55836-2073		55836-3073	
タイプ TYPE	C TYPE					

A	RELEASED EC NO: J2006-1791 DRWN: MABEI CHKD: K TOYODA APPR: NUKITA	2005/11/30 2005/12/01 2005/12/06	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION	
				10 UNDER ± 0.2		DRAWN BY DATE M. NABEI '05/11/29		TITLE COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE- MOLEX INCORPORATED					
				10 OVER 30 UNDER ± 0.25		CHECKED BY DATE K. TOYODA '05/11/29							
				30 OVER ± 0.3		APPROVED BY DATE N. UKITA '05/11/29							
				ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-55836-006		4 OF 5			
				O		SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

	10	9	8	7	6	5	4	3	2	1	
F											F
E											E
D											D
C											C
B											B
A											A

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1228	1	56381-2028	1	56381-3028	1
PLUG SHELL BODY	56380-1228	1	56380-2028	1	56380-3028	1
PLUG PIN HS'G	51234-1205	1	51234-2005	1	51234-3005	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55836-1274		55836-2074		55836-3074	
タイプ TYPE	D TYPE					

RELEASED EC NO: J2006-1791 DRAWN: NABEI 2005/11/30 CHKD: KTOYODA 2005/12/01 APPR: NUKITA 2005/12/06	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	±0.2	DRAWN BY M. NABEI	DATE '05/11/29	TITLE COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-				
		10 OVER 30 UNDER	±0.25	CHECKED BY K. TOYODA	DATE '05/11/29					
		30 OVER	±0.3	APPROVED BY N. UKITA	DATE '05/11/29	MOLEX INCORPORATED				
		ANGULAR ±3 °		MATERIAL NO.						
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-55836-006		5 OF 5		

tb_frame_A3_J_ME_S Rev. D 2004/04/02	9	8	7	6	5	4	3	2	EN-02JA(021)	
---	---	---	---	---	---	---	---	---	--------------	--

	10	9	8	7	6	5	4	3	2	1																																																																														
F											F																																																																													
E											E																																																																													
D	<table><tr><td>PLUG MOLD COVER B</td><td>51236-1205</td><td>I</td><td>51236-2005</td><td>I</td><td>51236-3005</td><td>I</td></tr><tr><td>PLUG MOLD COVER A</td><td>51235-1215</td><td>I</td><td>51235-2015</td><td>I</td><td>51235-3015</td><td>I</td></tr><tr><td>CROSS RECESSED HEAD SCREW</td><td>58203-0020</td><td>2</td><td>58203-0020</td><td>2</td><td>58203-0021</td><td>2</td></tr><tr><td>CABLE CLAMP</td><td>56382-1200</td><td>I</td><td>56382-2000</td><td>I</td><td>56382-3000</td><td>I</td></tr><tr><td>PLUG SHELL COVER</td><td>56381-1228</td><td>I</td><td>56381-2028</td><td>I</td><td>56381-3028</td><td>I</td></tr><tr><td>PLUG SHELL BODY</td><td>56380-1228</td><td>I</td><td>56380-2028</td><td>I</td><td>56380-3028</td><td>I</td></tr><tr><td>PLUG PIN HS'G</td><td>51234-1205</td><td>I</td><td>51234-2005</td><td>I</td><td>51234-3005</td><td>I</td></tr><tr><td>部品名称 PART NAME</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td></tr><tr><td>極数 CIRCUIT</td><td colspan="2">12</td><td colspan="2">20</td><td colspan="2">30</td></tr><tr><td>セット型番 SET NO.</td><td colspan="2">55836-1274</td><td colspan="2">55836-2074</td><td colspan="2">55836-3074</td></tr><tr><td>タイプ TYPE</td><td colspan="6">D TYPE</td></tr></table>										PLUG MOLD COVER B	51236-1205	I	51236-2005	I	51236-3005	I	PLUG MOLD COVER A	51235-1215	I	51235-2015	I	51235-3015	I	CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2	CABLE CLAMP	56382-1200	I	56382-2000	I	56382-3000	I	PLUG SHELL COVER	56381-1228	I	56381-2028	I	56381-3028	I	PLUG SHELL BODY	56380-1228	I	56380-2028	I	56380-3028	I	PLUG PIN HS'G	51234-1205	I	51234-2005	I	51234-3005	I	部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	極数 CIRCUIT	12		20		30		セット型番 SET NO.	55836-1274		55836-2074		55836-3074		タイプ TYPE	D TYPE						D
PLUG MOLD COVER B	51236-1205	I	51236-2005	I	51236-3005	I																																																																																		
PLUG MOLD COVER A	51235-1215	I	51235-2015	I	51235-3015	I																																																																																		
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2																																																																																		
CABLE CLAMP	56382-1200	I	56382-2000	I	56382-3000	I																																																																																		
PLUG SHELL COVER	56381-1228	I	56381-2028	I	56381-3028	I																																																																																		
PLUG SHELL BODY	56380-1228	I	56380-2028	I	56380-3028	I																																																																																		
PLUG PIN HS'G	51234-1205	I	51234-2005	I	51234-3005	I																																																																																		
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.																																																																																		
極数 CIRCUIT	12		20		30																																																																																			
セット型番 SET NO.	55836-1274		55836-2074		55836-3074																																																																																			
タイプ TYPE	D TYPE																																																																																							
C											C																																																																													
B											B																																																																													
A	<table><tr><td rowspan="7">RELEASED EC NO: J2006-1791 DRAWN:MABEI 2005/11/30 CHKDK:TOYODA 2005/12/01 APPR:NUKITA 2005/12/06 REV 0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE ---</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td colspan="2">10 UNDER ±0.2</td><td colspan="2">DRAWN BY DATE M.NABEI '05/11/29</td><td colspan="4" rowspan="2">TITLE COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-</td></tr><tr><td colspan="2">10 OVER 30 UNDER ±0.25</td><td colspan="2">CHECKED BY DATE K.TOYODA '05/11/29</td></tr><tr><td colspan="2">30 OVER ±0.3</td><td colspan="2">APPROVED BY DATE N.UKITA '05/11/29</td><td colspan="4" rowspan="2">MOLEX INCORPORATED</td></tr><tr><td colspan="2">ANGULAR ±3 °</td><td colspan="2">MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td><td>SHEET NO.</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE CHART</td><td colspan="2">SD-55836-006</td><td colspan="2">5 OF 5</td></tr><tr><td colspan="2">SIZE A3</td><td colspan="6">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										RELEASED EC NO: J2006-1791 DRAWN:MABEI 2005/11/30 CHKDK:TOYODA 2005/12/01 APPR:NUKITA 2005/12/06 REV 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		10 UNDER ±0.2		DRAWN BY DATE M.NABEI '05/11/29		TITLE COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-				10 OVER 30 UNDER ±0.25		CHECKED BY DATE K.TOYODA '05/11/29		30 OVER ±0.3		APPROVED BY DATE N.UKITA '05/11/29		MOLEX INCORPORATED				ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-55836-006		5 OF 5		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						A																									
RELEASED EC NO: J2006-1791 DRAWN:MABEI 2005/11/30 CHKDK:TOYODA 2005/12/01 APPR:NUKITA 2005/12/06 REV 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																	
	10 UNDER ±0.2		DRAWN BY DATE M.NABEI '05/11/29		TITLE COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-																																																																																			
	10 OVER 30 UNDER ±0.25		CHECKED BY DATE K.TOYODA '05/11/29																																																																																					
	30 OVER ±0.3		APPROVED BY DATE N.UKITA '05/11/29		MOLEX INCORPORATED																																																																																			
	ANGULAR ±3 °		MATERIAL NO.						DOCUMENT NO.			SHEET NO.																																																																												
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-55836-006		5 OF 5																																																																																	
	SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																					
	tb_frame_A3_J_ME_S Rev. D 2004/04/02	9	8	7	6	5	4	3	2	EN-02JA(021)																																																																														