



FEATURES SELECTION GUIDE



2 CENTER LOCK




3 DUAL SIDE SLOTS

4 CENTER POLARIZATION


1 DUAL LOCKS

5 PEGS

PLATING MEASUREMENT






CIRCUIT SIZE	FEATURES					SHEET NO
	FRICTION LOCKS		DUAL SIDE SLOTS	CENTER POLARIZATION	PEGS	
	① DUAL	② CENTER				
4	N.A	N.A	YES	N.A	N.A	2 - 3
	N.A	YES	YES	N.A	N.A	
6	N.A	N.A	YES	N.A	N.A	4 - 5
	N.A	N.A	YES	N.A	YES	
	N.A	N.A	YES	YES	N.A	
	N.A	YES	YES	N.A	N.A	
	N.A	YES	YES	N.A	YES	
8 TO 12	N.A	N.A	YES	YES	YES	6 - 7
	N.A	N.A	YES	YES	N.A	
	N.A	YES	YES	N.A	N.A	
	N.A	YES	YES	N.A	YES	
14 TO 50	YES	N.A	YES	YES	N.A	8 - 11
	YES	N.A	YES	YES	YES	



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
EC NO: 721932 DRWN: DANUSA CHK'D: DANUSA APPR: MIRAMAKRISHNA	2022/07/25 2022/09/20 2022/09/20	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex® MILLIGRID 2MM PITCH, SMT VERTICAL SHROUDED HEADER							
			MM	INCH	DRWN BY		DATE									
		4 PLACES	±	±	GMENARLY		2015/05/22									
		3 PLACES	±	±	CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING							
		2 PLACES	± 0.2	±	CGOH		2015/09/21									
		1 PLACES	±	±	APPR BY		DATE									
		0 PLACES	±	±	KHLIM		2015/09/22		SERIES		MATERIAL NUMBER		CUSTOMER			
		ANGULAR TOL ± 3.0			DRAWING SIZE		THIRD ANGLE PROJECTION		87832		SEE TABLE		GENERAL MARKET			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			A3				DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER	
									SD-87832-0001		PSD		001		1 OF 13	
A21		REV														

RELEASE STATUS	P1	RELEASE DATE	2022/09/20	09:04:31
----------------	----	--------------	------------	----------


4 CIRCUITS





ISO VIEW OF HEADER
WITH ONLY DUAL SLOTS



SECTION Z-Z



VIEW FOR HEADER WITH CAP



RECOMMENDED PCB LAYOUT


NOTES:

1. MATERIALS:
HOUSING & CAP: 30% GF, NYLON, UL94V-0, COLOR: BLACK
PIN: 0.50mm SQ. PHOSPHOR BRONZE
2. FINISHES: REFER TO PLATING OPTIONS
3. PRODUCT SPECIFICATION: PS-87831-027
4. PACKAGING SPECIFICATION: SEE PACKAGING SPECS TABLE ON SHEET 12
5. MATES WITH: A. MOLEX CRIMP RECEPTACLE HOUSING: 51110 SERIES
AND CRIMP TERMINAL: 50394 SERIES
B. MOLEX 2mm MILLIGRID DUAL ROW IDT: 87568 SERIES
C. MOLEX 2mm MILLIGRID DUAL ROW RECEPTACLE:
79107 (GOLD PLATED), 78787 (TIN PLATED)



6. COPLANARITY IS TO BE MEASURED BY RESTING THE SOLDER TAIL ON A GAUGE SURFACE
7. BEND DEPRESSION ON SMT TAIL IS ACCEPTABLE SO LONG AS IT DOES NOT AFFECT THE OVERALL COPLANARITY
8. TOP SURFACE OF CAP TO BE FLAT FOR THE PURPOSE OF PICK & PLACE BY VACUUM SUCTION NOZZLE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION





EC NO: 721932 DRWN: DANUSA CHKD: DANUSA APPR: MRAMAKRISHNA	2022/07/25	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION UNITS		SCALE		molex®				
	2022/09/20										
	2022/09/20			MM	INCH	DRWN BY	DATE	MILLIGRID 2MM PITCH, SMT VERTICAL SHROUDED HEADER			
			4 PLACES	±	±	GMENARLY	2015/05/22				
			3 PLACES	±	±	CHK'D BY	DATE				
			2 PLACES	± 0.2	±	CGOH	2015/09/21				
			1 PLACES	±	±	APPR BY	DATE				
			0 PLACES	±	±	KHLIM	2015/09/22	PRODUCT CUSTOMER DRAWING			
			ANGULAR TOL ± 3.0		DRAWING SIZE	THIRD ANGLE PROJECTION					
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3			87832	SEE TABLE	GENERAL MARKET	
A21	REV						DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER
							SD-87832-0001		PSD	001	2 OF 13





6 CIRCUITS



VIEW FOR HEADER WITH ONLY DUAL SLOTS



VIEW FOR HEADER WITH CAP



RECOMMENDED PCB LAYOUT

NOTES:

1. MATERIALS:
HOUSING & CAP: 30% GF, NYLON, UL94V-0, COLOR: BLACK
PIN: 0.50mm SQ. PHOSPHOR BRONZE
2. FINISHES: REFER TO PLATING OPTIONS
3. PRODUCT SPECIFICATION: PS-87831-027
4. PACKAGING SPECIFICATION: SEE PACKAGING SPECS TABLE ON SHEET 12
5. MATES WITH: A. MOLEX CRIMP RECEPTACLE HOUSING: 51110 SERIES AND CRIMP TERMINAL: 50394 SERIES
B. MOLEX 2mm MILLIGRID DUAL ROW IDT: 87568 SERIES
C. MOLEX 2mm MILLIGRID DUAL ROW RECEPTACLE: 79107 (GOLD PLATED), 78787 (TIN PLATED)
6. COPLANARITY IS TO BE MEASURED BY RESTING THE SOLDER TAIL ON A GAUGE SURFACE
7. BEND DEPRESSION ON SMT TAIL IS ACCEPTABLE SO LONG AS IT DOES NOT AFFECT THE OVERALL COPLANARITY
8. TOP SURFACE OF CAP TO BE FLAT FOR THE PURPOSE OF PICK & PLACE BY VACUUM SUCTION NOZZLE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
EC NO: 721932 DRWN: DANUSA CHK'D: DANUSA APPR: MRAMAKRISHNA	2022/07/25 2022/09/20 2022/09/20	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex®				
			MM	INCH	MM		NTS						
		4 PLACES	±		DRWN BY		DATE		MILLIGRID 2MM PITCH, SMT VERTICAL SHROUDED HEADER				
		3 PLACES	±		GMENARLY		2015/05/22						
		2 PLACES	± 0.2		CHK'D BY		DATE						
		1 PLACES	±		CGOH		2015/09/21						
		0 PLACES	±		APPR BY		DATE						
					KHLIM		2015/09/22		PRODUCT CUSTOMER DRAWING				
		ANGULAR TOL ± 3.0			DRAWING SIZE		THIRD ANGLE PROJECTION						SERIES
					A3				87832	SEE TABLE		GENERAL MARKET	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER		
A21	REV						SD-87832-0001		PSD	001	4 OF 13		

9		8		7		6		5		4		3		2		1					
6 CIRCUITS																					
CKT SIZE	ASSY P/N WITHOUT CAP IN TUBE	ASSY P/N WITH CAP IN TUBE	ASSY P/N WITH CAP IN T&R	ASSY P/N WITHOUT CAP IN T&R	T&R OPTIONS (SEE SHEET 12)	PLATING OPTIONS	FRICTION LOCKS		DUAL SIDE SLOTS	CENTER POLARIZATIO N	PEGS	DIMENSION									
							DUAL	CENTER				A	B	C	D	E	F	G (COPLAN)	H		
6	87832-0660	87832-0662	87832-5262		1	1	N.A	N.A	YES	N.A	YES	8.65	6.85	4.00	N.A	2.00	7.00	0.10	3.60±0.20		
	87832-0620	87832-0622	87832-5222	87832-5230	1	2															
	87832-0621	87832-0623	87832-5223		1	3															
	87832-0670	87832-0672	87832-5272		1	4															
	87832-0612	87832-0616	87832-0614		1	2	N.A	N.A	YES	N.A	N.A							0.10	3.60±0.20		
	87832-0613	87832-0617	87832-0615		1	3	N.A	N.A	YES	YES	N.A										
	87832-0624	87832-0626	87832-0628		1	2	N.A	YES	YES	N.A	N.A							0.10	3.60±0.15		
	87832-0625	87832-0627	87832-0629		1	3															
	87832-0610	87832-0608	87832-0606		1	2	N.A	YES	YES	N.A	YES									0.10	3.60±0.20
	87832-0611	87832-0609	87832-0607		1	3															
87832-0604	N.A	N.A		N.A	2	N.A	YES	YES	N.A	YES	0.10	3.60±0.20									

PLATING OPTIONS:

1 - 0.05-0.13µm/2-5µin GOLD IN CONTACT AREA AND 1.88µm/75µin MIN. MATTE TIN IN SOLDER TAIL AREA OVER 1.27µm/50µin MIN. NICKEL OVERALL.

2 - 0.38µm/15µin MIN. GOLD IN CONTACT AREA AND 1.88µm/75µin MIN. MATTE TIN IN SOLDER TAIL AREA OVER 1.27µm/50µin MIN. NICKEL OVERALL.

3 - 0.76µm/30µin MIN. GOLD IN CONTACT AREA AND 1.88µm/75µin MIN. MATTE TIN IN SOLDER TAIL AREA OVER 1.27µm/50µin MIN. NICKEL OVERALL.

4 - 2.50µm/100µin MIN. MATTE TIN OVER 1.25µm/50µin MIN. NICKEL OVERALL.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																						
EC NO: 721932 DRWN: DANUSA CHK'D: DANUSA REV APPR: MIRAMAKRISHNA	2022/07/25 2022/09/20 2022/09/20	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex®													
			MM	INCH	MM		NTS															
		4 PLACES	±		±	DRWN BY		DATE		MILLIGRID 2MM PITCH, SMT VERTICAL SHROUDED HEADER												
		3 PLACES	±		±	GMENARLY		2015/05/22														
		2 PLACES	±	0.2	±	CHK'D BY		DATE														
		1 PLACES	±		±	CGOH		2015/09/21														
		0 PLACES	±		±	APPR BY		DATE		PRODUCT CUSTOMER DRAWING												
		ANGULAR TOL ± 3.0			KHLIM		2015/09/22															
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			DRAWING SIZE		THIRD ANGLE PROJECTION		87832		MATERIAL NUMBER SEE TABLE		CUSTOMER GENERAL MARKET									
		A21		REV				A3				DOCUMENT NUMBER SD-87832-0001			DOC TYPE PSD		DOC PART 001		SHEET NUMBER 5 OF 13			
RELEASE STATUS		P1	RELEASE DATE		2022/09/20 09:04:31				7		6		5		4		3		2		1	

FORMAT: Met-lega-master-0b-prod-A3
REVISION: C
DATE: 2017/02/06

9

8

7

6

5


4

3

2

1

9		8		7		6		5		4		3		2		1																																																																																													
8 TO 12 CIRCUITS																																																																																																													
CKT SIZE	ASSY P/N WITHOUT CAP IN TUBE	ASSY P/N WITH CAP IN TUBE	ASSY P/N WITH CAP IN T&R	ASSY P/N WITHOUT CAP IN T&R	T&R OPTIONS (SEE SHEET 12)	PLATING OPTIONS	FRICTION LOCKS		DUAL SIDE SLOTS	CENTER POLARIZ ATION	PEGS	DIMENSION																																																																																																	
							DUAL	CENTER				A	B	C	D	E	F	G (COPLAN)	H																																																																																										
8	87832-0860	87832-0862	87832-5362		1	1	N.A	N.A	YES	YES	YES	10.65	8.85	6.00	N.A	4.00	9.00	0.10	3.60±0.20																																																																																										
	87832-0820	87832-0822	87832-5322		1	2																																																																																																							
	87832-0821	87832-0823	87832-5323		1	3																																																																																																							
	87832-0870	87832-0872	87832-5372		1	4																																																																																																							
	87832-0812	87832-0816	87832-0814		1	2	N.A	N.A	YES	YES	N.A							0.10	3.60±0.20																																																																																										
	87832-0824	87832-0826	87832-0828		1	2	N.A	YES	YES	N.A	N.A							0.10	3.60±0.15																																																																																										
	87832-0825	87832-0827	87832-0829		1	3																																																																																																							
	87832-0810	87832-0808	87832-0806		1	2	N.A	YES	YES	N.A	YES							0.10	3.60±0.20																																																																																										
	87832-0811	87832-0809	87832-0807		1	3																																																																																																							
87832-0804	N.A	N.A		N.A	2	N.A	YES	YES	N.A	YES	0.10	3.60±0.20																																																																																																	
10	87832-1060	87832-1062	87832-5462		1	1	N.A	N.A	YES	YES	YES	12.65	10.85	8.00	N.A	6.00	11.00	0.10	3.60±0.20																																																																																										
	87832-1020	87832-1022	87832-5422	87832-5430	1	2																																																																																																							
	87832-1021	87832-1023	87832-5423		1	3																																																																																																							
			87832-9423		2																																																																																																								
	87832-1070	87832-1072	87832-5472		1	4																																																																																																							
	87832-1012	87832-1016	87832-1014		1	2	N.A	N.A	YES	YES	N.A							0.10	3.60±0.20																																																																																										
	87832-1019	87832-1045	87832-1035		1	1																																																																																																							
	87832-1024	87832-1026	87832-1028		1	2	N.A	YES	YES	N.A	N.A							0.10	3.60±0.15																																																																																										
	N.A	N.A	87832-1055		1	1																																																																																																							
	87832-1025	87832-1027	87832-1029		1	3																																																																																																							
	87832-1010	87832-1008	87832-1006		1	2	N.A	YES	YES	N.A	YES							0.10	3.60±0.20																																																																																										
	87832-1011	87832-1009	87832-1007		1	3																																																																																																							
87832-1004	N.A	N.A		N.A	2	N.A	YES	YES	N.A	YES	0.10	3.60±0.20																																																																																																	
12	87832-1260	87832-1262	87832-5562		1	1	N.A	N.A	YES	YES	YES	14.65	12.85	10.00	N.A	8.00	13.00	0.10	3.60±0.20																																																																																										
	87832-1220	87832-1222	87832-5522		1	2																																																																																																							
	87832-1221	87832-1223	87832-5523		1	3																																																																																																							
			87832-9623		2																																																																																																								
	87832-1270	87832-1272	87832-5572		1	4																																																																																																							
	87832-1224	87832-1226	87832-1228		1	2	N.A	YES	YES	N.A	N.A							0.10	3.60±0.15																																																																																										
	87832-1225	87832-1227	87832-1229		1	3																																																																																																							
	87832-1210	87832-1208	87832-1206		1	2	N.A	YES	YES	N.A	YES							0.10	3.60±0.20																																																																																										
	87832-1211	87832-1209	87832-1207		1	3																																																																																																							
	87832-1204	N.A	N.A		N.A	2	N.A	YES	YES	N.A	YES							0.10	3.60±0.20																																																																																										
87832-1212	N.A	N.A		N.A	2	N.A	N.A	YES	YES	N.A																																																																																																			
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION <table><tr><td rowspan="10">EC NO: 721932 DRWN: DANUSA CHKD: DANUSA REV APPR: MIRAMAKRISHNA</td><td rowspan="10">2022/07/25 2022/09/20 2022/09/20</td><td colspan="3">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="4" rowspan="3"> molex® MILLIGRID 2MM PITCH, SMT VERTICAL SHROUDED HEADER </td></tr><tr><td></td><td>MM</td><td>INCH</td><td colspan="2">MM</td><td colspan="2">NTS</td></tr><tr><td>4 PLACES</td><td>±</td><td>±</td><td colspan="2">DRWN BY</td><td colspan="2">DATE</td></tr><tr><td>3 PLACES</td><td>±</td><td>±</td><td colspan="2">GMENARLY</td><td colspan="2">2015/05/22</td><td colspan="4" rowspan="3">PRODUCT CUSTOMER DRAWING</td></tr><tr><td>2 PLACES</td><td>± 0.2</td><td>±</td><td colspan="2">CHK'D BY</td><td colspan="2">DATE</td></tr><tr><td>1 PLACES</td><td>±</td><td>±</td><td colspan="2">CGOH</td><td colspan="2">2015/09/21</td></tr><tr><td>0 PLACES</td><td>±</td><td>±</td><td colspan="2">APPR BY</td><td colspan="2">DATE</td><td colspan="4" rowspan="3">SERIES 87832 MATERIAL NUMBER SEE TABLE CUSTOMER GENERAL MARKET</td></tr><tr><td colspan="3">ANGULAR TOL = 3.0</td><td colspan="2">DRAWING SIZE</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">A3</td><td colspan="2"></td></tr><tr><td>A21</td><td>REV</td><td colspan="3"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">DOCUMENT NUMBER SD-87832-0001</td><td>DOC TYPE PSD</td><td>DOC PART 001</td><td colspan="2">SHEET NUMBER 7 OF 13</td></tr></table> RELEASE STATUS P1 RELEASE DATE 2022/09/20 09:04:31 987654321 FORMAT: Met-Iega-master-ib-prod-A3 REVISION: C DATE: 2017/02/06																		EC NO: 721932 DRWN: DANUSA CHKD: DANUSA REV APPR: MIRAMAKRISHNA	2022/07/25 2022/09/20 2022/09/20	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex® MILLIGRID 2MM PITCH, SMT VERTICAL SHROUDED HEADER					MM	INCH	MM		NTS		4 PLACES	±	±	DRWN BY		DATE		3 PLACES	±	±	GMENARLY		2015/05/22		PRODUCT CUSTOMER DRAWING				2 PLACES	± 0.2	±	CHK'D BY		DATE		1 PLACES	±	±	CGOH		2015/09/21		0 PLACES	±	±	APPR BY		DATE		SERIES 87832 MATERIAL NUMBER SEE TABLE CUSTOMER GENERAL MARKET				ANGULAR TOL = 3.0			DRAWING SIZE		THIRD ANGLE PROJECTION		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			A3				A21	REV								DOCUMENT NUMBER SD-87832-0001		DOC TYPE PSD	DOC PART 001	SHEET NUMBER 7 OF 13	
EC NO: 721932 DRWN: DANUSA CHKD: DANUSA REV APPR: MIRAMAKRISHNA	2022/07/25 2022/09/20 2022/09/20	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex® MILLIGRID 2MM PITCH, SMT VERTICAL SHROUDED HEADER																																																																																																				
			MM	INCH	MM		NTS																																																																																																						
		4 PLACES	±	±	DRWN BY		DATE																																																																																																						
		3 PLACES	±	±	GMENARLY		2015/05/22		PRODUCT CUSTOMER DRAWING																																																																																																				
		2 PLACES	± 0.2	±	CHK'D BY		DATE																																																																																																						
		1 PLACES	±	±	CGOH		2015/09/21																																																																																																						
		0 PLACES	±	±	APPR BY		DATE		SERIES 87832 MATERIAL NUMBER SEE TABLE CUSTOMER GENERAL MARKET																																																																																																				
		ANGULAR TOL = 3.0			DRAWING SIZE		THIRD ANGLE PROJECTION																																																																																																						
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			A3																																																																																																								
		A21	REV								DOCUMENT NUMBER SD-87832-0001		DOC TYPE PSD	DOC PART 001	SHEET NUMBER 7 OF 13																																																																																														



9		8		7		6		5		4		3		2		1																																																																																																																																	
14 TO 24 CIRCUITS																																																																																																																																																	
E	CKT SIZE	ASSY P/N WITHOUT CAP IN TUBE	ASSY P/N WITH CAP IN TUBE	ASSY P/N WITH CAP IN T&R	ASSY P/N WITHOUT CAP IN T&R	T&R OPTIONS (SEE SHEET 12)	PLATING OPTIONS	FRICTION LOCKS		DUAL SIDE SLOTS	CENTER POLARIZA TION	PEGS	DIMENSION							So (T&R)																																																																																																																													
								DUAL	CENTER				A	B	C	D	E	F	G (COPLAN)		H																																																																																																																												
	14	87832-1460	87832-1462	87832-5662		1	1	YES	N.A	YES	YES	YES	16.65	14.85	12.00	8.00	10.00	15.0 0	0.15	3.60±0.20																																																																																																																													
		87832-1420	87832-1422	87832-5622	87832-5630	1	2																																																																																																																																										
		87832-1421	87832-1423	87832-5623		1	3																																																																																																																																										
				87832-9523		2																																																																																																																																											
87832-1470		87832-1472	87832-5672		1	4																																																																																																																																											
87832-1412	87832-1416	87832-1414		1	2	YES	N.A	YES	YES	N.A						0.15	3.60±0.20																																																																																																																																
D	16	87832-1660	87832-1662	87832-5762		1	1	YES	N.A	YES	YES	YES	18.65	16.85	14.00	10.00	12.00	17.0 0	0.15	3.60±0.20																																																																																																																													
		87832-1620	87832-1622	87832-5722		1	2																																																																																																																																										
		87832-1621	87832-1623	87832-5723		1	3																																																																																																																																										
		87832-1670	87832-1672	87832-5772	87832-5730	1	4																																																																																																																																										
		87832-1612	87832-1616	87832-1614		1	2														YES	N.A	YES	YES	N.A					0.15	3.60±0.20	28.40																																																																																																																	
	87832-1619	87832-1645	87832-1635		1	1																																																																																																																																											
C	18	87832-1860	87832-1862	87832-5862		1	1	YES	N.A	YES	YES	YES	20.65	18.85	16.00	12.00	14.00	19.0 0	0.15	3.60±0.20																																																																																																																													
		87832-1820	87832-1822	87832-5822	87832-5830	1	2																																																																																																																																										
		87832-1821	87832-1823	87832-5823		1	3																																																																																																																																										
		87832-1870	87832-1872	87832-5872		1	4																																																																																																																																										
		87832-1812	87832-1816	87832-1814		3	2														YES	N.A	YES	YES	N.A					0.15	3.60±0.20																																																																																																																		
	87832-1813	87832-1817	87832-1815		3	3	YES	N.A	YES	YES	N.A	0.15	3.60±0.20																																																																																																																																				
20	87832-2060	87832-2062	87832-5962		1	1	YES	N.A	YES	YES	YES	22.65	20.85	18.00	14.00	16.00	21.0 0	0.15	3.60±0.20																																																																																																																														
	87832-2020	87832-2022	87832-5922	87832-5930	1	2																																																																																																																																											
	87832-2021	87832-2023	87832-5923		1	3																																																																																																																																											
	87832-2070	87832-2072	87832-5972		1	4																																																																																																																																											
			87832-9672		2																																																																																																																																												
87832-2012	87832-2016	87832-2014		1	2	YES	N.A	YES	YES	N.A						0.15	3.60±0.20	40.40																																																																																																																															
B	22	87832-2260	87832-2262	87832-6062		1	1	YES	N.A	YES	YES	YES	24.65	22.85	20.00	16.00	18.00	23.0 0	0.15	3.60±0.20																																																																																																																													
		87832-2220	87832-2222	87832-6022	87832-6030	1	2																																																																																																																																										
		87832-2221	87832-2223	87832-6023	A21 87832-6031	1	3																																																																																																																																										
		87832-2270	87832-2272	87832-6072		1	4																																																																																																																																										
	24	87832-2460	87832-2462	87832-6162		1	1	YES	N.A	YES	YES	YES	26.65	24.85	22.00	18.00	20.00	25.0 0	0.15	3.60±0.20																																																																																																																													
		87832-2420	87832-2422	87832-6122	87832-6130	1	2																																																																																																																																										
87832-2421		87832-2423	87832-6123		1	3																																																																																																																																											
87832-2470		87832-2472	87832-6172		1	4																																																																																																																																											
87832-2412		87832-2416	87832-2414		1	2	YES														N.A	YES	YES	N.A					0.15	3.60±0.20																																																																																																																			
A	PLATING OPTIONS: 1 - 0.05-0.13µm/2-5µin GOLD IN CONTACT AREA AND 1.88µm/75µin MIN. MATTE TIN IN SOLDER TAIL AREA OVER 1.27µm/50µin MIN. NICKEL OVERALL. 2 - 0.38µm/15µin MIN. GOLD IN CONTACT AREA AND 1.88µm/75µin MIN. MATTE TIN IN SOLDER TAIL AREA OVER 1.27µm/50µin MIN. NICKEL OVERALL. 3 - 0.76µm/30µin MIN. GOLD IN CONTACT AREA AND 1.88µm/75µin MIN. MATTE TIN IN SOLDER TAIL AREA OVER 1.27µm/50µin MIN. NICKEL OVERALL. 4 - 2.50µm/100µin MIN. MATTE TIN OVER 1.25µm/50µin MIN. NICKEL OVERALL.																	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION <table><tr><td rowspan="10">EC NO: 721932 DRWN: DANUSA CHK'D: DANUSA APPR: MIRAMAKRISHNA</td><td rowspan="10">2022/07/25 2022/09/20 2022/09/20</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="4" rowspan="2">molex®</td></tr><tr><td></td><td></td><td>MM</td><td>INCH</td><td>MM</td><td>NTS</td></tr><tr><td>4 PLACES</td><td>±</td><td></td><td>±</td><td colspan="2">DRWN BY</td><td colspan="2">DATE</td><td colspan="4" rowspan="2">MILLIGRID 2MM PITCH, SMT VERTICAL SHROUDED HEADER</td></tr><tr><td colspan="2">GMENARLY</td><td colspan="2">2015/05/22</td></tr><tr><td>3 PLACES</td><td>±</td><td></td><td>±</td><td colspan="2">CHK'D BY</td><td colspan="2">DATE</td><td colspan="4" rowspan="2">PRODUCT CUSTOMER DRAWING</td></tr><tr><td colspan="2">CGOH</td><td colspan="2">2015/09/21</td></tr><tr><td>2 PLACES</td><td>±</td><td>0.2</td><td>±</td><td colspan="2">APPR BY</td><td colspan="2">DATE</td><td colspan="4" rowspan="2">SERIES 87832</td><td colspan="2">MATERIAL NUMBER SEE TABLE</td><td colspan="2">CUSTOMER GENERAL MARKET</td></tr><tr><td colspan="2">KHLIM</td><td colspan="2">2015/09/22</td></tr><tr><td>1 PLACES</td><td>±</td><td></td><td>±</td><td colspan="2">DRAWING SIZE</td><td colspan="2">THIRD ANGLE PROJECTION</td><td colspan="4" rowspan="2">DOCUMENT NUMBER SD-87832-0001</td><td colspan="2">DOC TYPE PSD</td><td colspan="2">DOC PART 001</td><td colspan="2">SHEET NUMBER 9 OF 13</td></tr><tr><td>0 PLACES</td><td>±</td><td></td><td>±</td><td colspan="2">A3</td><td colspan="2"></td></tr><tr><td colspan="4">ANGULAR TOL ± 3.0</td><td colspan="4" rowspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="10" rowspan="2"></td></tr><tr><td colspan="4"></td></tr></table>										EC NO: 721932 DRWN: DANUSA CHK'D: DANUSA APPR: MIRAMAKRISHNA	2022/07/25 2022/09/20 2022/09/20	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®						MM	INCH	MM	NTS	4 PLACES	±		±	DRWN BY		DATE		MILLIGRID 2MM PITCH, SMT VERTICAL SHROUDED HEADER				GMENARLY		2015/05/22		3 PLACES	±		±	CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING				CGOH		2015/09/21		2 PLACES	±	0.2	±	APPR BY		DATE		SERIES 87832				MATERIAL NUMBER SEE TABLE		CUSTOMER GENERAL MARKET		KHLIM		2015/09/22		1 PLACES	±		±	DRAWING SIZE		THIRD ANGLE PROJECTION		DOCUMENT NUMBER SD-87832-0001				DOC TYPE PSD		DOC PART 001		SHEET NUMBER 9 OF 13		0 PLACES	±		±	A3				ANGULAR TOL ± 3.0				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																	
	EC NO: 721932 DRWN: DANUSA CHK'D: DANUSA APPR: MIRAMAKRISHNA	2022/07/25 2022/09/20 2022/09/20	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®																																																																																																																																								
					MM	INCH	MM	NTS																																																																																																																																									
			4 PLACES	±		±	DRWN BY		DATE		MILLIGRID 2MM PITCH, SMT VERTICAL SHROUDED HEADER																																																																																																																																						
			GMENARLY		2015/05/22																																																																																																																																												
			3 PLACES	±		±	CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING																																																																																																																																						
			CGOH		2015/09/21																																																																																																																																												
			2 PLACES	±	0.2	±	APPR BY		DATE		SERIES 87832				MATERIAL NUMBER SEE TABLE		CUSTOMER GENERAL MARKET																																																																																																																																
			KHLIM		2015/09/22																																																																																																																																												
			1 PLACES	±		±	DRAWING SIZE		THIRD ANGLE PROJECTION		DOCUMENT NUMBER SD-87832-0001				DOC TYPE PSD		DOC PART 001		SHEET NUMBER 9 OF 13																																																																																																																														
0 PLACES			±		±	A3																																																																																																																																											
ANGULAR TOL ± 3.0				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																																																																																																													
RELEASE STATUS		P1	RELEASE DATE		2022/09/20		09:04:31		9		8		7		6		5		4		3		2		1																																																																																																																								
FORMAT: Met-lega-master-ib-prod-A3		REVISION: C		DATE: 2017/02/08		9		8		7		6		5		4		3		2		1																																																																																																																											

9		8		7		6		5		4		3		2		1											
26 TO 38 CIRCUITS																											
CKT SIZE	ASSY P/N WITHOUT CAP IN TUBE	ASSY P/N WITH CAP IN TUBE	ASSY P/N WITH CAP IN T&R	ASSY P/N WITHOUT CAP IN T&R	T&R OPTIONS (SEE SHEET 12)	PLATING OPTIONS	FRICTION LOCKS		DUAL SIDE SLOTS	CENTER POLARIZA TION	PEGS	DIMENSION															
							DUAL	CENTER				A	B	C	D	E	F	G (COPLAN)	H								
26	87832-2660	87832-2662	87832-6262		1	1	YES	N.A	YES	YES	YES	28.65	26.85	24.00	20.00	22.00	27.00	0.15	3.60±0.20								
	87832-2620	87832-2622	87832-6222		1	2																					
	87832-2621	87832-2623	87832-6223		1	3																					
	87832-2670	87832-2672	87832-6272		1	4																					
	87832-2612	87832-2616	N.A		N.A	2	YES	N.A	YES	YES	N.A							0.15	3.60±0.20								
	87832-2619	87832-2645	87832-2635		1	1																					
28	87832-2860	87832-2862	87832-6362		1	1	YES	N.A	YES	YES	YES	30.65	28.85	26.00	22.00	24.00	29.00	0.15	3.60±0.20								
	87832-2820	87832-2822	87832-6322		1	2																					
	87832-2821	87832-2823	87832-6323		1	3																					
	87832-2870	87832-2872	87832-6372		1	4																					
	N.A	87832-2816	N.A		1	2	YES	N.A	YES	YES	N.A									0.15	3.60±0.20						
	N.A	87832-2819	N.A		1	1																					
30	87832-3060	87832-3062	87832-6462		1	1	YES	N.A	YES	YES	YES	32.65	30.85	28.00	24.00	26.00	31.00	0.15	3.60±0.20								
	87832-3020	87832-3022	87832-6422		1	2																					
	87832-3021	87832-3023	87832-6423		1	3																					
	87832-3070	87832-3072	87832-6472		1	4																					
	87832-3012	87832-3016	87832-3014		3	2	YES	N.A	YES	YES	N.A							0.15	3.60±0.20								
	32	87832-3260	87832-3262	87832-6562		1	1	YES	N.A	YES	YES							YES	34.65	32.85	30.00	26.00	28.00	33.00	0.15	3.60±0.20	
87832-3220		87832-3222	87832-6522		1	2																					
87832-3221		87832-3223	87832-6523		1	3																					
87832-3270		87832-3272	87832-6572		1	4																					
34	87832-3460	87832-3462	87832-6662	87832-6630	1	1	YES	N.A	YES	YES	YES	36.65	34.85	32.00	28.00	30.00	35.00	0.15									3.60±0.20
	87832-3420	87832-3422	87832-6622		1	2																					
	87832-3421	87832-3423	87832-6623		1	3																					
	87832-3470	87832-3472	87832-6672		1	4																					
	87832-3412	87832-3416	87832-3414		3	2	YES	N.A	YES	YES	N.A							0.15	3.60±0.20								
	87832-3419	87832-3445	87832-3435		3	1																					
36	87832-3660	87832-3662	N.A		N.A	1	YES	N.A	YES	YES	YES	38.65	36.85	34.00	30.00	32.00	37.00	0.15	3.60±0.20								
	87832-3620	87832-3622	N.A		N.A	2																					
	87832-3621	87832-3623	87832-3673		N.A	3																					
	87832-3670	87832-3672	N.A		N.A	4																					
38	87832-3860	87832-3862	N.A		N.A	1	YES	N.A	YES	YES	YES									40.65	38.85	36.00	32.00	34.00	39.00	0.15	3.60±0.20
	87832-3820	87832-3822	87832-6822		N.A	2																					
	87832-3821	87832-3823	87832-3874		N.A	3																					
	87832-3870	87832-3872	N.A		N.A	4																					
PLATING OPTIONS: 1 - 0.05-0.13µm/2-5µin GOLD IN CONTACT AREA AND 1.88µm/75µin MIN. MATTE TIN IN SOLDER TAIL AREA OVER 1.27µm/50µin MIN. NICKEL OVERALL. 2 - 0.38µm/15µin MIN. GOLD IN CONTACT AREA AND 1.88µm/75µin MIN. MATTE TIN IN SOLDER TAIL AREA OVER 1.27µm/50µin MIN. NICKEL OVERALL. 3 - 0.76µm/30µin MIN. GOLD IN CONTACT AREA AND 1.88µm/75µin MIN. MATTE TIN IN SOLDER TAIL AREA OVER 1.27µm/50µin MIN. NICKEL OVERALL. 4 - 2.50µm/100µin MIN. MATTE TIN OVER 1.25µm/50µin MIN. NICKEL OVERALL.																											
RELEASE STATUS	P1	RELEASE DATE	2022/09/20	09:04:31																							
9		8		7		6		5		4		3		2		1											

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

2022/07/25
2022/09/20
2022/09/20

EC NO: 721932
DRWN: DANUSA
CHK'D: DANUSA
APPR: MIRAMAKRISHNA

REV

GENERAL TOLERANCES
(UNLESS SPECIFIED)

MM

INCH

4 PLACES ± ±

3 PLACES ± ±

2 PLACES ± 0.2 ±

1 PLACES ± ±

0 PLACES ± ±

ANGULAR TOL ± 3.0

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION UNITS

MM

SCALE

NTS

DRWN BY

DATE

2015/05/22

CHK'D BY

DATE

2015/09/21

APPR BY

DATE

2015/09/22

DRAWING SIZE

A3

THIRD ANGLE PROJECTION

molex®

MILLIGRID
2MM PITCH, SMT VERTICAL SHROUDED HEADER

PRODUCT CUSTOMER DRAWING

SERIES

87832

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

DOCUMENT NUMBER

SD-87832-0001

DOC TYPE

PSD

DOC PART

001


SHEET NUMBER

10 OF 13


9						8						7						6						5						4						3						2						1																																																																																																																																																																																																																																																																																																																																																																																																																																																										
40 TO 50 CIRCUITS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
E	CKT SIZE	ASSY P/N WITHOUT CAP IN TUBE	ASSY P/N WITH CAP IN TUBE	ASSY P/N WITH CAP IN T&R	ASSY P/N WITHOUT CAP IN T&R	T&R OPTIONS (SEE SHEET 12)	PLATING OPTIONS	FRICTION LOCKS		DUAL SIDE SLOTS	CENTER POLARIZA TION	PEGS	DIMENSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
								YES	N.A				YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES

PACKAGING OPTIONS


OPTION 1




OPTION 2



OPTION 3



VIEW FOR 1 SIDE PILOT HOLE



PACKAGING SPECIFICATION TABLE

TAPE AND REEL PACKAGING	PK-87832-300
TUBE STANDARD PACKAGING	PK-87831-001
TUBE NON-STANDARD PACKAGING FOR: 87832-0411 87832-0824 87832-1072 87832-1412	PK-87831-002

EMBOSSED TAPE & REEL POCKET DESCRIPTIONS

OPTIONS	CENTER POLARIZATION OPTIONS		PEG OPTIONS		PILOT HOLE OPTIONS	
	ON THE LEFT	ON THE RIGHT	WITH PEG	WITHOUT PEG	2 SIDES	1 SIDE
1	YES	N.A	YES	N.A	CKT 12-50	CKT 4-10
2	N.A	YES	YES	YES	CKT 12-50	CKT 4-10
3	YES	N.A	N.A	YES	CKT 12-50	CKT 4-10

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 721932 DRWN: DANUSA CHK'D: DANUSA REV APPR: MRAMAKRISHNA	2022/07/25	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex[®]									
	2022/09/20			MM		NTS											
	2022/09/20		MM	INCH	DRWN BY		DATE		MILLIGRID 2MM PITCH, SMT VERTICAL SHROUDED HEADER								
		4 PLACES	±	±	GMENARLY		2015/05/22										
		3 PLACES	±	±	CHK'D BY		DATE										
		2 PLACES	± 0.2	±	CGOH		2015/09/21										
		1 PLACES	±	±	APPR BY		DATE										
		0 PLACES	±	±	KHLIM		2015/09/22										
		ANGULAR TOL ± 3.0			DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			A3				87832		SEE TABLE		GENERAL MARKET				
	DOCUMENT NUMBER								DOC TYPE		DOC PART		SHEET NUMBER				
	A21									SD-87832-0001		PSD		001		12 OF 13	

BOARD TO BOARD (BTB) DISTANCE

HEADER	MATES WITH (RECEPTACLE)	BTB DIST.	PICTORIAL VIEW
87832	79107	8.14	
	78787	8.14	
	79108	8.14	
	79109	8.35	
	78788	8.35	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS		SCALE	
mm		NTS	
GENERAL TOLERANCES (UNLESS SPECIFIED)			
	MM	INCH	
4 PLACES	±	±	
3 PLACES	±	±	
2 PLACES	± 0.2	±	
1 PLACE	±	±	
0 PLACES	±	±	
ANGULAR TOL		± 3.0 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION 	DRAWING A3-SIZE

CURRENT REV DESC:

EC NO: 721932

DRWN: DANUSA 2022/07/25

CHK'D: DANUSA 2022/09/20

APPR: MRAMAKRISHNA 2022/09/20

INITIAL REVISION:

DRWN: DRWN BY XXXX/XX/XX

APPR: APPR BY XXXX/XX/XX

molex

MILLIGRID
2MM PITCH, SMT VERTICAL SHROUDED HEADER

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
SD-87832-0001		PSD	001	A21
MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
		GENERAL MARKET		13 OF 13